



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. 1 of 137

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
CHEMICAL - Metals and Alloys					
1	Aluminium & its alloy	Zirconium	0.005 % to 1.5 %	IS-504 (Part-15)	Permanent
2		Chromium	0.003 % to 2.50 %	IS 504(Part 8)	Permanent
3		Copper	0.002 % to 10.0 %	IS 504(Part 3)	Permanent
4		Iron	0.01 % to 2.0 %	IS 504(Part-2)	Permanent
5		Lead	0.005 % to 0.50 %	IS 504 (Part-1)	Permanent
6		Magnesium	0.01 % to 12.0 %	IS 504 (Part-6)	Permanent
7		Manganese	0.01 % to 1.5 %	IS 504 (Part -5)	Permanent
8		Nickel	0.01 % to 4.0 %	IS 504 (Part-7)	Permanent
9		Silicon	0.01 % to 5.0 %	IS 504 (Part-1)	Permanent
10		Tin	0.005 % to 5 %	IS-504 (Part-9)	Permanent
11		Zinc	0.01 % to 4.0 %	IS 504 (Part -4)	Permanent
12		Beryllium	0.0003 % to 0.05 %	ASTM E1251-17a	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. 2 of 137

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
13		Bismuth	0.13 % to 0.7 %	ASTM E1251-17a	Permanent
14		Chromium	0.005 % to 1.0 %	ASTM E 1251-17a	Permanent
15		Cobalt	0.0001 % to 2 %	ASTM E1251-17a	Permanent
16		Copper	0.001 % to 20 %	ASTM E 1251-17a	Permanent
17		Gallium	0.001 % to 0.05 %	ASTM E1251-17a	Permanent
18		Iron	0.005 % to 3.5 %	ASTM E 1251-17a	Permanent
19		Lead	0.002 % to 0.70 %	ASTM E 1251-17a	Permanent
20		Magnesium	0.015 % to 11.0 %	ASTM E 1251-17a	Permanent
21		Manganese	0.001 % to 2.0 %	ASTM E 1251-17a	Permanent
22		Nickel	0.001 % to 2.0 %	ASTM E 1251-17a	Permanent
23		Silicon	0.001 % to 24.0 %	ASTM E 1251-17a	Permanent
24		Tin	0.001 % to 7.5 %	ASTM E 1251-17a	Permanent
25		Titanium	0.001 % to 0.5 %	ASTM E 1251-17a	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **3** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
26		Vanadium	0.002 % to 0.25 %	ASTM E 1251-17a	Permanent
27		Zinc	0.001 % to 10.0 %	ASTM E 1251-17a	Permanent
28		Zirconium	0.001 % to 1.5 %	ASTM E1251-17a	Permanent
29		Aluminium	70% to 100%	ASTM E1251-17a	Permanent
30		Antimony	0.001 % to 0.5 %	ASTM E1251-17a	Permanent
31		Cadmium	0.001 % to 2 %	ASTM E1251-17a	Permanent
32		Lithium	0.002 % to 3.0 %	ASTM E1251-17a	Permanent
33	Low Alloy & Carbon Steel	Carbon	0.05 % to 2.5 %	IS 228 (Part-1)	Permanent
34		Chromium	0.1 % to 30 %	IS 228 (Part -6)	Permanent
35		Copper	0.05 % to 5 %	IS 228 (Part-15)	Permanent
36		Manganese	0.1 % to 1.5 %	IS 228 (Part -2)	Permanent
37		Manganese	0.01 % to 5 %	IS 228 (Part-12)	Permanent
38		Molybdenum	1 % to 10 %	IS 228 (Part-7)	Permanent
39		Nickel	0.1 % to 15 %	IS 228 (Part 5)	Permanent
40		Phosphorus	0.001 % to 0.5 %	IS 228 (Part-3)	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **4** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
41		Silicon	0.01 % to 0.05 %	IS 228 (Part-11)	Permanent
42		Silicon	0.05 % to 5 %	IS 228 (Part 8)	Permanent
43		Sulphur	0.01 % to 0.25 %	IS 228 (Part-9)	Permanent
44	Brasses	Copper	1.0 % to 65 %	IS 3685	Permanent
45		Iron	0.01 % to 5.0 %	IS 3685	Permanent
46		Lead	0.01 % to 15 %	IS 3685	Permanent
47		Tin	0.1 % to 12 %	IS 3685	Permanent
48		Zinc	1.0 % to 45.0 %	IS 3685	Permanent
49	Copper	Antimony	0.002 % to 0.045 %	IS 440	Permanent
50		Arsenic	0.001 % to 2.5 %	IS 440	Permanent
51		Bismuth	0.01 % to 0.50 %	IS 440	Permanent
52		Copper	90 % to 99.998 %	IS 440	Permanent
53		Iron	0.005 % to 5.0 %	IS 440	Permanent
54		Lead	0.005 % to 10 %	IS 440	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **5** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
55		Nickel	0.01 % to 1.50 %	IS 440	Permanent
56		Oxygen	0.005 % to 1.5 %	IS 440	Permanent
57		Phosphorous	0.01 % to 0.50 %	IS 440	Permanent
58		Selenium	0.002 % to 10 %	IS 440	Permanent
59		Tellurium	0.005 % to 0.50 %	IS 440	Permanent
60		Tin	0.01 % to 2.5 %	IS 440	Permanent
61	Pure Copper & its Alloys, Bronzes & Brasses	Aluminium	0.01 % to 5.0 %	BS EN 15079	Permanent
62		Antimony	0.005 % to 0.1 %	BS EN 15079	Permanent
63		Arsenic	0.004 % to 0.1 %	BS EN 15079	Permanent
64		Bismuth	0.006 % to 0.1 %	BS EN 15079	Permanent
65		Iron	0.001 % to 0.01 %	BS EN 15079	Permanent
66		Lead	0.01 % to 5.0 %	BS EN 15079	Permanent
67		Manganese	0.005 % to 0.50 %	BS EN 15079	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **6** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
68		Nickel	0.01 % to 2.0 %	BS EN 15079	Permanent
69		Oxygen	0.006 % to 0.1 %	BS EN 15079	Permanent
70		Phosphorous	0.001 % to 2.5 %	BS EN 15079	Permanent
71		Selenium	0.008 % to 0.05 %	BS EN 15079	Permanent
72		Silicon	0.05 % to 0.18 %	BS EN 15079	Permanent
73		Tin	0.10 % to 0.75 %	BS EN 15079	Permanent
74		Zinc	10.0 % to 42.0 %	BS EN 15079	Permanent
75	Cast Iron	Carbon	1.5 % to 4.5 %	IS:12308 (Part-11)	Permanent
76		Manganese	0.02 % to 7 %	IS:12308 (Part-6)	Permanent
77		Phosphorous	0.01 % to 0.5 %	IS:12308 (Part-5)	Permanent
78		Silicon	0.1 % to 6 %	IS:12308 (Part-6)	Permanent
79		Sulphur	0.005 % to 0.25 %	IS:12308 (Part-2)	Permanent
80	Stainless Steel	Aluminium	0.001 % to 5.0 %	JIS G 1253	Permanent
81		Carbon	0.001 % to 5.5 %	JIS G 1253	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. 7 of 137

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
82		Chromium	0.002 % to 40.0 %	JIS G 1253	Permanent
83		Cobalt	0.001 % to 20 %	JIS G 1253	Permanent
84		Copper	0.001 % to 6.0 %	JIS G 1253	Permanent
85		Manganese	0.003 % to 30.0 %	JIS G 1253	Permanent
86		Molybdenum	0.001 % to 0.10 %	JIS G 1253	Permanent
87		Nickel	0.002 % to 40.0 %	JIS G 1253	Permanent
88		Niobium	0.001 % to 2.0 %	JIS G 1253	Permanent
89		Nitrogen	0.001 % to 0.15 %	JIS G 1253	Permanent
90		Phosphorus	0.0005 % to 1.0 %	JIS G 1253	Permanent
91		Silicon	0.05 % to 5.0 %	JIS G 1253	Permanent
92		Sulphur	0.0002 % to 0.5 %	JIS G 1253	Permanent
93		Tin	0.0006 % to 0.3 %	JIS G 1253	Permanent
94		Titanium	0.0005 % to 3.0 %	JIS G 1253	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. 8 of 137

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
95		Tungsten	0.01 % to 25 %	JIS G 1253	Permanent
96		Vanadium	0.001 % to 6.0 %	JIS G 1253	Permanent
97	Low Alloy & Carbon Steel	Aluminium	0.001 % to 5.0 %	JIS G 1253	Permanent
98		Carbon	0.001 % to 5.5 %	JIS G 1253	Permanent
99		Chromium	0.002 % to 40.0 %	JIS G 1253	Permanent
100		Cobalt	0.001 % to 20 %	JIS G 1253	Permanent
101		Copper	0.001 % to 6.0 %	JIS G 1253	Permanent
102		Manganese	0.003 % to 30.0 %	JIS G 1253	Permanent
103		Molybdenum	0.001 % to 0.10 %	JIS G 1253	Permanent
104		Nickel	0.002 % to 40.0 %	JIS G 1253	Permanent
105		Niobium	0.001 % to 2.0 %	JIS G 1253	Permanent
106		Nitrogen	0.001 % to 0.15 %	JIS G 1253	Permanent
107		Phosphorus	0.0005 % to 1.0 %	JIS G 1253	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **9** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
108		Silicon	0.05 % to 5.0 %	JIS G 1253	Permanent
109		Sulphur	0.0002 % to 0.5 %	JIS G 1253	Permanent
110		Tin	0.0006 % to 0.3 %	JIS G 1253	Permanent
111		Titanium	0.0005 % to 3.0 %	JIS G 1253	Permanent
112		Tungsten	0.01 % to 25 %	JIS G 1253	Permanent
113		Vanadium	0.001 % to 6.0 %	JIS G 1253	Permanent
114	Zinc & Zinc alloys	Aluminium	0.0001 % to 20 %	IS:2600 (Part 7)	Permanent
115		Aluminium	3.0 % to 6.0 %	ISO 3815-1	Permanent
116		Chromium	0.001 % to 0.02 %	IS 2600 (part-4)	Permanent
117		Copper	0.01 % to 5.0 %	IS 2600 (part-1)	Permanent
118		Iron	0.002 % to 0.50 %	IS 2600 (part-1)	Permanent
119		Magnesium	0.01 % to 0.5 %	ISO 3815-1	Permanent
120		Nickel	0.002 % to 1.0 %	IS 2600 (part-1)	Permanent



Certificate



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **10** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
121		Thallium	0.01 % to 2.5 %	IS 2600 (part-1)	Permanent
122		Tin	0.01 % to 1.0 %	IS 2600 (part-1)	Permanent
123		Cadmium	0.001 % to 0.006 %	ISO 3815-1	Permanent
124		Copper	0.005 % to 5.0 %	ISO 3815-1	Permanent
125		Iron	0.005 % to 0.2 %	ISO 3815-1	Permanent
126		Lead	0.001 % to 0.01 %	ISO 3815-1	Permanent
127		Tin	0.0003 % to 0.01 %	ISO 3815-1	Permanent
128	Aluminium and its Alloys	Arsenic (As)	0.001-0.05 %	astm e 1251-17a	Permanent
CHEMICAL - Corrosion Test					
129	Austenitic Stainless Steel	Resistance to Intergranular Corrosion in Nitric Acid medium by measurement of Loss in mass	0.001 mm/y to 1.0 mm/y	IS 10461 (Part-1)	Permanent
130		Resistance to Intergranular Corrosion in Sulphuric	Qualitative	IS 10461 (Part-2)	Permanent



Certificate



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **11** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
		acid/ Copper Sulphate medium			
131	Metallic Products and Raw Material	Neutral Salt Spray (NSS) Test - Corrosion Test	Qualitative	IS 9844	Permanent
132		Acetic Acid Salt Spray (AASS) Test - Corrosion Test	Qualitative	IS 6910	Permanent
133		Copper Accelerated Acetic Acid Salt Spray (CASS) Test - Corrosion Test	Qualitative	IS 5528	Permanent
134	Stainless Steel Cookware	Staining Test	Qualitative	IS 14756	Permanent
135	Non-Stick Unreinforced Plastic Coatings on Domestic Cooking Utensils	Salt-Water Corrosion Test	Qualitative	IS 9730	Permanent
136	Forks	Staining Resistance – Acetic Acid Solution	Qualitative	IS 16218:2014 Cl.7.1	Permanent
137	Forks	Staining Resistance – Sodium Chloride Solution	Qualitative	IS 16218:2014 Cl.7.1	Permanent



Certificate



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **12** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
138	Forks	Staining Resistance – Sodium Chloride Solution	Qualitative	IS 16218:2014 Cl.7.4.3	Permanent
139	Forks	Staining Resistance – Acetic Acid Solution	Qualitative	IS 16218:2014 Cl.7.4.3	Permanent
140	Forks	Staining Resistance – Sodium Carbonate Solution	Qualitative	IS 16218:2014 Cl.7.4.3	Permanent
141	Spoons	Silver Coating Thickness	1–100 µm	IS 1067	Permanent
142	Spoons	Silver Purity	90–100 %	IS 1067	Permanent
143	Spoons	Staining Resistance – Acetic Acid Solution	Qualitative	IS 16286:2014 Cl.6.1	Permanent
144	Spoons	Staining Resistance – Sodium Chloride Solution	Qualitative	IS 16286:2014 Cl.6.1	Permanent
145	Spoons	Staining Resistance – Sodium Chloride Solution	Qualitative	IS 16286:2014 Cl.6.4.3	Permanent
146	Spoons	Staining Resistance – Acetic Acid Solution	Qualitative	IS 16286:2014 Cl.6.4.3	Permanent
147	Spoons	Staining Resistance – Sodium Carbonate Solution	Qualitative	IS 16286:2014 Cl.6.4.3	Permanent

CHEMICAL - Water



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **13** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
148	Application of Inductively Coupled Plasma Mass Spectrometry (ICP-MS)- Determination of Selected Elements	Silver	0.5 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
149		Aluminium	1 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
150		Arsenic	0.1 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
151		Boron	1 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
152		Barium	0.3 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
153		Berelium	0.1 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
154		Bismuth	0.5 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
155		Calcium	10 µg/L to 2000 mg/L	IS 3025 (Part-65)	Permanent
156		Cadmium	0.1 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
157		Cerium	0.1 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
158		Cobalt	0.2 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
159		Chromium	0.1 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
160		Cesium	0.1 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **14** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
161		Copper	0.1 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
162		Iron	5 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
163		Germanium	0.3 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
164		Indium	0.5 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
165		Magnesium	0.5 µg/L to 2000 mg/L	IS 3025 (Part-65)	Permanent
166		Manganese	0.5 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
167		Molybdenum	0.5 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
168		Nickel	0.5 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
169		Zinc	0.5 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
170		Mercury	0.5 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
171		Lead	0.5 µg/L to 200 mg/L	IS 3025 (Part-65)	Permanent
172	Drinking Water	Colour	1–500 Hazen	IS 3025 Part 4	Permanent
173	Drinking Water	Odour	Qualitative	IS 3025 Part 5	Permanent
174	Drinking Water	pH	0–14 pH	IS 3025 Part 11	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **15** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
175	Drinking Water	Taste	Qualitative	IS 3025 Part 7 & 8	Permanent
176	Drinking Water	Turbidity	0.1–1000 NTU	IS 3025 Part 10	Permanent
177	Drinking Water	Total Dissolved Solids	10–10000 mg/L	IS 3025 Part 16	Permanent
178	Drinking Water	Aluminium	0.01–10 mg/L	IS 3025 Part 55	Permanent
179	Drinking Water	Ammonia	0.01–10 mg/L	IS 3025 Part 34	Permanent
180	Drinking Water	Anionic Detergents (MBAS)	0.01–10 mg/L	Annex K of IS 13428	Permanent
181	Drinking Water	Barium	0.01–10 mg/L	IS 15302	Permanent
182	Drinking Water	Boron	0.01–10 mg/L	IS 3025 Part 57	Permanent
183	Drinking Water	Calcium	1–1000 mg/L	IS 3025 Part 40	Permanent
184	Drinking Water	Chloramines	0.05–10 mg/L	IS 3025 Part 26	Permanent
185	Drinking Water	Chloride	1–5000 mg/L	IS 3025 Part 32	Permanent
186	Drinking Water	Copper	0.01–10 mg/L	IS 3025 Part 42	Permanent
187	Drinking Water	Fluoride	0.01–10 mg/L	IS 3025 Part 60	Permanent
188	Drinking Water	Free Residual Chlorine	0.05–10 mg/L	IS 3025 Part 26	Permanent
189	Drinking Water	Iron	0.01–10 mg/L	IS 3025 Part 53	Permanent
190	Drinking Water	Magnesium	1–1000 mg/L	IS 3025 Part 46	Permanent
191	Drinking Water	Manganese	0.01–10 mg/L	IS 3025 Part 59	Permanent
192	Drinking Water	Mineral Oil	0.01–10 mg/L	IS 3025 Part 39	Permanent
193	Drinking Water	Nitrate (as NO ₃)	0.1–500 mg/L	IS 3025 Part 34	Permanent
194	Drinking Water	Phenolic Compounds	0.001–1.0 mg/L	IS 3025 Part 43	Permanent
195	Drinking Water	Selenium	0.001–1.0 mg/L	IS 3025 Part 56	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **16** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
196	Drinking Water	Silver	0.001–5.0 mg/L	Annex J of IS 13428	Permanent
197	Drinking Water	Sulphate	1–5000 mg/L	IS 3025 Part 24	Permanent
198	Drinking Water	Sulphide	0.01–10 mg/L	IS 3025 Part 29	Permanent
199	Drinking Water	Total Alkalinity (as CaCO ₃)	1–2000 mg/L	IS 3025 Part 23	Permanent
200	Drinking Water	Total Hardness (as CaCO ₃)	1–2000 mg/L	IS 3025 Part 21	Permanent
201	Drinking Water	Zinc	0.01–20 mg/L	IS 3025 Part 49	Permanent
202	Drinking Water	Cadmium	0.001–1.0 mg/L	IS 3025 Part 41	Permanent
203	Drinking Water	Cyanide	0.001–5.0 mg/L	IS 3025 Part 27	Permanent
204	Drinking Water	Lead	0.001–5.0 mg/L	IS 3025 Part 47	Permanent
205	Drinking Water	Mercury	0.0001–1.0 mg/L	IS 3025 Part 48	Permanent
206	Drinking Water	Molybdenum	0.001–5.0 mg/L	IS 3025 Part 2	Permanent
207	Drinking Water	Nickel	0.001–5.0 mg/L	IS 3025 Part 54	Permanent
208	Drinking Water	Total Arsenic	0.001–5.0 mg/L	IS 3025 Part 37	Permanent
209	Drinking Water	Total Chromium	0.001–5.0 mg/L	IS 3025 Part 52	Permanent
210	Drinking Water	Polychlorinated Biphenyls (PCB)	0.0001–1.0 mg/L	ASTM D5175 / APHA 6630	Permanent
211	Drinking Water	Polycyclic Aromatic Hydrocarbons (PAH)	0.0001–1.0 mg/L	APHA 6440	Permanent
212	Drinking Water	Bromoform	0.001–1.0 mg/L	ASTM D3973	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **17** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
213	Drinking Water	Dibromochloromethane	0.001–1.0 mg/L	ASTM D3973	Permanent
214	Drinking Water	Bromodichloromethane	0.001–1.0 mg/L	ASTM D3973	Permanent
215	Drinking Water	Chloroform	0.001–1.0 mg/L	ASTM D3973	Permanent
216	Drinking Water	Uranium	0.001–5.0 mg/L	IS 3025 Part 65 / IS 14194 Part 3	Permanent
217	Drinking Water	Alachlor	0.0001–1.0 mg/L	USEPA 525.2 / 507	Permanent
218	Drinking Water	Atrazine	0.0001–1.0 mg/L	USEPA 525.2 / 8141A	Permanent
219	Drinking Water	Aldrin	0.00001–1.0 mg/L	USEPA 508	Permanent
220	Drinking Water	Dieldrin	0.00001–1.0 mg/L	USEPA 508	Permanent
221	Drinking Water	Alpha HCH	0.00001–1.0 mg/L	USEPA 508	Permanent
222	Drinking Water	Beta HCH	0.00001–1.0 mg/L	USEPA 508	Permanent
223	Drinking Water	Butachlor	0.0001–1.0 mg/L	USEPA 525.2 / 8141A	Permanent
224	Drinking Water	Chlorpyrifos	0.0001–1.0 mg/L	USEPA 525.2 / 8141A	Permanent
225	Drinking Water	Delta HCH	0.00001–1.0 mg/L	USEPA 508	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **18** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
226	Drinking Water	2,4-D	0.0001–1.0 mg/L	USEPA 515.1	Permanent
227	Drinking Water	DDT	0.00001–1.0 mg/L	USEPA 508	Permanent
228	Drinking Water	Endosulfan	0.00001–1.0 mg/L	USEPA 508	Permanent
229	Drinking Water	Ethion	0.0001–1.0 mg/L	USEPA 1657A	Permanent
230	Drinking Water	Lindane	0.00001–1.0 mg/L	USEPA 508	Permanent
231	Drinking Water	Isoproturon	0.0001–1.0 mg/L	USEPA 532	Permanent
232	Drinking Water	Malathion	0.0001–1.0 mg/L	USEPA 8141A	Permanent
233	Drinking Water	Methyl Parathion	0.0001–1.0 mg/L	USEPA 8141A	Permanent
234	Drinking Water	Monocrotophos	0.0001–1.0 mg/L	USEPA 8141A	Permanent
235	Drinking Water	Phorate	0.0001–1.0 mg/L	USEPA 8141A	Permanent
236	Drinking Water	E. coli / Thermotolerant Coliform	1–2419 MPN/100 mL	IS 15185	Permanent
237	Drinking Water	Total Coliform	1–2419 MPN/100 mL	IS 15185	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **19** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
238	Drinking Water	MS2 Phage	1-10 ⁶ PFU/100 mL	USEPA 1601 / 1602	Permanent
239	Drinking Water	Enterovirus	Qualitative	PCR Method	Permanent
240	Drinking Water	Hepatitis A Virus	Qualitative	PCR Method	Permanent
241	Drinking Water	Cryptosporidium	Qualitative	USEPA 1622 / 1623	Permanent
242	Drinking Water	Giardia	Qualitative	USEPA 1623	Permanent
243	Drinking Water	Microscopic Organisms (Algae, Zooplankton, Flagellates, Parasites & Toxin Producing Organisms)	Qualitative	Microscopic Examination	Permanent
CHEMICAL - Metallic Coating and treatment solutions					
244	Anodic Coatings on Aluminium and its Alloys	Coating Thickness by Eddy Current Method	0.1 µm to 2000 µm	IS 6012	Permanent
245	Electroplated Coatings on Metals	Adhesion	Qualitative	IS 1068	Permanent
246		Ductibility	Qualitative	IS 1068	Permanent
247	Zinc Coated Articles	Adhesion Test of Zinc Coating	Qualitative	IS 2629	Permanent
248		Mass of Zinc Coating	5 g/m ² to 600 g/m ²	IS 6745	Permanent
249		Uniformity of Zinc Coating	Qualitative	IS 2633	Permanent
250	Brass	Mercurous Nitrate test	Qualitative	IS 2305	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **20** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
251	Anodic Coatings on Aluminium and its Alloys	Coating Thickness by Eddy Current Method	0.1 μ m to 2000 μ m	IS 6012	Permanent
252	Electroplated Coatings on Metals	Adhesion	Qualitative	IS 1068	Permanent
253		Determination of Thickness of Chromium by Stripping method	0.0003 mm to 0.10 mm	IS 3203	Permanent
254		Determination of Thickness of Nickel by BNF Jet apparatus	0.0025 mm to 0.10 mm	IS 3203	Permanent
255		Ductibility	Qualitative	IS 1068	Permanent
256	Aluminium Water Bottle	Hard Anodized Coating Thickness	5 μ m to 100 μ m	IS 6057	Permanent
257	Stainless Steel Water Bottle	Resistance to Staining	Qualitative	IS 17803 : 2022	Permanent
258	Polymer Component in Contact with Water	Overall Migration / Food Safety Test	1 mg/dm ² to 60 mg/dm ²	IS 9845	Permanent
259	Stainless Steel Vacuum Flask/Bottle	Resistance to Staining	Qualitative	IS 17526 : 2021	Permanent
260	Insulated Containers for Food Storage	Silicone Gasket Examination	Qualitative	IS 3565	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **21** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
261	Insulated Flask	Resistance to Staining	Qualitative	IS 17790 : 2022	Permanent
262	Vitreous Enamelled Inner Tank for Storage Water Heater	Resistance to Citric Acid (Classification AA/A/B/C/D)	Qualitative	IS 13273:2024 Annex B	Permanent
263	Vitreous Enamelled Inner Tank for Storage Water Heater	Solubility of Enamel (Weight Loss)	0–20 mg/cm ²	IS 13273:2024 Annex C	Permanent
264	Vitreous Enamelled Inner Tank for Storage Water Heater	Resistance to Thermal Shock	Qualitative	IS 13273:2024 Annex D	Permanent
265	Vitreous Enamelled Inner Tank for Storage Water Heater	Impact Resistance of Enamel Coating	0–10 kg/cm ²	IS 13273:2024 Cl. 5.3.2.5	Permanent
266	Vitreous Enamelled Inner Tank for Storage Water Heater	Enamel Coating Thickness	0.05–2.0 mm	IS 13273:2024 Cl. 5.3.3	Permanent
267	Wrought & Cast Aluminium Utensils	Anodic Coating Thickness	0–100 µm	IS 1868	Permanent
268	Wrought & Cast Aluminium Utensils	Anodized Coating Compliance (Grade AC5)	Pass/Fail	IS 1868	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **22** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
269	Wrought & Cast Aluminium Utensils	Hard Anodized Coating Thickness	0–100 µm	IS 6057	Permanent
270	Wrought & Cast Aluminium Utensils	Hard Anodized Abrasion Resistance	Functional Test	IS 6057	Permanent
271	Wrought & Cast Aluminium Utensils	Hard Anodized Hardness	As per Standard	IS 6057	Permanent
272	Vitreous Enamelled Inner Tank for Storage Water Heater	Base Metal Thickness	0.5–10 mm	IS 13273:2024 Cl. 5.1.1	Permanent
273	Vitreous Enamelled Inner Tank for Storage Water Heater	Release of Lead (Pb)	0.01–10 mg/dm ²	IS 12038 (Part 1)	Permanent
274	Vitreous Enamelled Inner Tank for Storage Water Heater	Release of Cadmium (Cd)	0.001–1 mg/dm ²	IS 12038 (Part 1)	Permanent
MECHANICAL- Mechanical Properties of Metals					
275	Metallic Materials	Brinell Hardness Test	20 HBW to 600 HBW	IS 1500 (Part 1)	Permanent
276	Metals	Charpy Impact Test (U-and V Notch)	2 J to 300 J	IS 1757 (PART 1)	Permanent
277		Bend Test	Qualitative	IS 1599	Permanent



Certificate



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **23** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
278	Metals (Ferrous & Non-Ferrous)	Determination of percentage Elongation after Fracture	Upto 60 %	IS 1608 (Part 1) & IS 1608 (Part 2)	Permanent
279		Determination of percentage reduction of Area	Upto 90 %	IS 1608 (Part 1) & IS 1608 (Part 2)	Permanent
280		Determination of Proof Strength, plastic extension	0.01 N/mm ² to 1000 N/mm ²	IS 1608 (Part 1) & IS 1608 (Part 2)	Permanent
281		Determination of Proof Strength, total extension	0.01 N/mm ² to 1000 N/mm ²	IS 1608 (Part 1) & IS 1608 (Part 2)	Permanent
282		Determination of the Lower Yield Strength	10 MPa to 1200 MPa	IS 1608 (Part 1) & IS 1608 (Part 2)	Permanent
283		Determination of the percentage total extension at fracture	0.01 % to 100 %	IS 1608 (Part 1) & IS 1608 (Part 2)	Permanent
284		Determination of the upper yield strength	10 MPa to 1200 MPa	IS 1608 (Part 1) & IS 1608 (Part 2)	Permanent
285		Offset proof Stress (0.2%)	0.01 N/mm ² to 1000 N/mm ²	IS 1608 (Part 1) & IS 1608 (Part 2)	Permanent
286		Rockwell Hardness Test	20 HRBW to 100 HRBW	IS 1586 (Part 1 & 2)	Permanent
287		Tensile Strength	0.05 N/mm ² to 2000 N/mm ²	IS 1608 (Part 1) & IS 1608 (Part 2)	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **24** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
288		Vickers Hardness Test	20 HV30 to 1000 HV30	IS 1501 (Part 1)	Permanent
289		Erichsen Cupping Test	0.1 mm to 2.5 mm	IS 10175	Permanent
290		Rockwell Hardness Test	20 HRC to 70 HRC	IS 1586 (Part 1& 2)	Permanent
291		Tensile Strength	0.05 N/mm² to 2000 N/mm²	IS 1608 (Part 1) & IS 1608 (Part 2)	Permanent
292		Vickers Hardness Test	20 HV to 100 HV	IS 1501 (Part 1)	Permanent
293		Vickers Hardness Test	20 HV10 to 1000 HV10	IS 1501 (Part 1)	Permanent
294		Vickers Hardness Test	20 HV0.2 to 1200 HV0.2	IS 1501 (Part 1)	Permanent
MECHANICAL - Performance/Durability and Safety					
295	Composite Bottom Stainless	Adhesion (Mechanical Shock Test)	Qualitative	IS 15960	Permanent
296	Steel Cooking Utensils	Adhesion (Thermal Shock Test)	Qualitative	IS 15960	Permanent
297		Adhesion Test	Qualitative	IS 15960	Permanent
298		Coating Thickness	0.01 µm to 1000 µm	IS 15960	Permanent
299		Dimensions of Utensils - Internal Base	Upto 500 mm	IS 15960	Permanent



Certificate



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **25** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
300		Dimensions of Utensils - External Height	Upto 500 mm	IS 15960	Permanent
301		Dimensions of Utensils - Thickness of Body	0.01mm to 1 mm	IS 15960	Permanent
302		Dry Heat Test	Qualitative	IS 15960	Permanent
303		Material Thickness	0.001 mm to 25 mm	IS 15960	Permanent
304		Staining Test	Qualitative	IS 15960	Permanent
305		Workmanship	Qualitative	IS 15960	Permanent
306	Domestic and Commercial	Workmanship and Finish	Qualitative	IS 5116	Permanent
307	Equipment for use with LPG	Burners	Qualitative	IS 5116	Permanent
308		Fire Hazard and Limiting temperature (Floor Temperature)	1°C to 1200°C	IS 5116	Permanent
309		Fire Hazard and Limiting temperature (Ceiling Temperature)	1°C to 1200°C	IS 5116	Permanent
310		Fire Hazard and Limiting temperature (Surface Temperature)	1°C to 1200°C	IS 5116	Permanent
311		Flame Failure Device	Qualitative	IS 5116	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **26** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
312		Gas Consumption	0.5 L/h to 2000 L/h	IS 5116	Permanent
313		Gas Inlet Connection	Qualitative	IS 5116	Permanent
314		Gas Soundness	Qualitative	IS 5116	Permanent
315		Gas Taps	Qualitative	IS 5116	Permanent
316		General	Qualitative	IS 5116	Permanent
317		Injector Jets	Qualitative	IS 5116	Permanent
318		Materials	Qualitative	IS 5116	Permanent
319		Design for Maintenance	Qualitative	IS 5116	Permanent
320		Combustion	0.01% to 50 %	IS 5116	Permanent
321		Ignition and Flame Stability	Qualitative	IS 5116	Permanent
322		Water Soundness	Qualitative	IS 5116	Permanent
323		Gas Thermostats	Qualitative	IS 5116	Permanent
324		Flue Outlet	Qualitative	IS 5116	Permanent
325		Pilots	Qualitative	IS 5116	Permanent
326		Draught Diverter	Qualitative	IS 5116	Permanent
327	Domestic Gas Stove for use with Liquefied Petroleum Gas or Piped Natural gases	Burning or peel off the adhesive tape (toughened glass)	Qualitative	IS 4246	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **27** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
328	Domestic Gas Stove for use with Liquefied Petroleum Gas or Liquefied Petroleum gases	Burner Pan Support	Qualitative	IS 4246	Permanent
329		Gas Inlet Connection	Qualitative	IS 4246	Permanent
330		Burners	Qualitative	IS 4246	Permanent
331		Combustion	0.001 to 2.0	IS 4246	Permanent
332		Design for Maintenance	Qualitative	IS 4246	Permanent
333		Fire Hazard and Limiting Temperatures	0.1°C to 1200°C	IS 4246	Permanent
334		Flame Stability	Qualitative	IS 4246	Permanent
335		Flash Back	Qualitative	IS 4246	Permanent
336		Formation of Soot	Qualitative	IS 4246	Permanent
337		Gas Consumption	10 L/h to 1000 L/h	IS 4246	Permanent
338		General	Qualitative	IS 4246	Permanent
339		Ignition and Flame Travel	Qualitative	IS 4246	Permanent
340		Noise Control	Qualitative	IS 4246	Permanent
341		Resistance to Draught	Qualitative	IS 4246	Permanent
342		Strength and Rigidity	Qualitative	IS 4246	Permanent
343		Thermal Efficiency	Upto 100 %	IS 4246	Permanent
344		Workmanship and Finish	Qualitative	IS 4246	Permanent
345		Edges and Corners (toughened Glass)	Qualitative	IS 4246	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **28** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
346	Portable Liquefied Petroleum Gas Appliances operating at vapour pressure	Gas Inlet Connection	Qualitative	IS 11241	Permanent
347		Combustion	0.001 to 2.0	IS 11241	Permanent
348		Design for Maintenance	Qualitative	IS 11241	Permanent
349		Surface Temperature	0.1°C to 1200°C	IS 11241	Permanent
350		Flame Stability	Qualitative	IS 11241	Permanent
351		Stability	Qualitative	IS 11241	Permanent
352		Flash Back	Qualitative	IS 11241	Permanent
353		Formation of Soot	Qualitative	IS 11241	Permanent
354		Gas Consumption	10 L/h to 1000 L/h	IS 11241	Permanent
355		Design for Maintenance	Qualitative	IS 11241	Permanent
356		Ignition and Flame Travel	Qualitative	IS 11241	Permanent
357		Resistance to Draught	Qualitative	IS 11241	Permanent
358		Minimum Heat Output for Portable Space Heaters	Qualitative	IS 11241	Permanent
359		Valves	Qualitative	IS 11241	Permanent
360		Washers, O-Seals and Jointing Compounds	Qualitative	IS 11241	Permanent
361		Injector Jets	Qualitative	IS 11241	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **29** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
362		Guards	Qualitative	IS 11241	Permanent
363		Primary Air Regulators	Qualitative	IS 11241	Permanent
364		Flexible Tubings	Qualitative	IS 11241	Permanent
365		Gas Containers	Qualitative	IS 11241	Permanent
366		Gas Soundness	Qualitative	IS 11241	Permanent
367	Domestic Gas Stoves for use with Piped Natural Gas (PNG)	Burners	Qualitative	IS 17153	Permanent
368		Combustion	0.001 to 1.0	IS 17153	Permanent
369		Design for Maintenance	Qualitative	IS 17153	Permanent
370		Fire Hazard and Limiting Temperatures	0.1°C to 1200 °C	IS 17153	Permanent
371		Flame Stability	Qualitative	IS 17153	Permanent
372		Flash Back	Qualitative	IS 17153	Permanent
373		Formation of Soot	Qualitative	IS 17153	Permanent
374		Gas Consumption	10 l/h to 1000 l/h	IS 17153	Permanent
375		Gas Inlet Connections	Qualitative	IS 17153	Permanent
376		Gas Taps	Qualitative	IS 17153	Permanent
377		General	Qualitative	IS 17153	Permanent
378		Ignition and Flame Travel	Qualitative	IS 17153	Permanent
379		Injector Jets	Qualitative	IS 17153	Permanent
380		Noise Control	Qualitative	IS 17153	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **30** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
381		Pan Support	Qualitative	IS 17153	Permanent
382		Resistance to Draught	Qualitative	IS 17153	Permanent
383		Rigidity and Stability	Qualitative	IS 17153	Permanent
384		Strength and Rigidity	Qualitative	IS 17153	Permanent
385		Thermal Efficiency	Upto 100 %	IS 17153	Permanent
386		Workmanship and Finish	Qualitative	IS 17153	Permanent
387		Gas Taps	Qualitative	IS 17153	Permanent
388	Mini Domestic Water Heater for use with LPG	Combustion	0.001 to 2.0	IS 15558	Permanent
389		Connections	Qualitative	IS 15558	Permanent
390		Flame Stability	Qualitative	IS 15558	Permanent
391		Flash Back	Qualitative	IS 15558	Permanent
392		Gas Taps	Qualitative	IS 15558	Permanent
393		General Requirement	Qualitative	IS 15558	Permanent
394		Hot Water Output test	Qualitative	IS 15558	Permanent
395		Ignition and Flame Travel	Qualitative	IS 15558	Permanent
396		Ignition Device	Qualitative	IS 15558	Permanent
397		Materials	Qualitative	IS 15558	Permanent
398		Noise Control	Qualitative	IS 15558	Permanent
399		Protection against Accidental Overheating	0.1°C to 200°C	IS 15558	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **31** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
400		Resistance to Draught	Qualitative	IS 15558	Permanent
401		Thermal Efficiency	Upto 100 %	IS 15558	Permanent
402		Time for Temperature Rise	1 s to 120 s	IS 15558	Permanent
403	Domestic Gas Stoves for use with Piped Natural Gas (PNG)	Workmanship and Finish	Qualitative	IS 17153	Permanent
404	Domestic Pressure Cooker	Air Pressure Test	Qualitative	IS 2347	Permanent
405		Bursting Pressure Test	Qualitative	IS 2347	Permanent
406		Capacities	1.0 L to 24 L	IS 2347	Permanent
407		Construction	Qualitative	IS 2347	Permanent
408		Construction (Pressure Regulating device; Safety Relief Device; Temperature Responsive Pressure relief device; Handles and knobs)	Qualitative	IS 2347	Permanent
409		Material (Body, Lid, containers and Grid; Safety Relief Device; Gasket; Handles and Knobs; Pressure	Qualitative	IS 2347	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **32** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
		Regulating Device; Vent Seal pin; Vent Pipe; Vent Pipe Nut; Spring)			
410		Operating Test for Pressure Regulating Device	0.001 kgf/cm ² to 4 kgf/cm ²	IS 2347	Permanent
411		Proof Pressure Test	Qualitative	IS 2347	Permanent
412		Test for Adhesion of 3-ply construction cooker body	Qualitative	IS 2347	Permanent
413		Test for Induction Bottom	Qualitative	IS 2347	Permanent
414		Test for Safety Pressure Relief Device	0.001 kgf/cm ² to 4 kgf/cm ²	IS 2347	Permanent
415		Test for Spring Loaded mechanism	Qualitative	IS 2347	Permanent
416		Tests for Removal of Lid under Pressure	Qualitative	IS 2347	Permanent
417		Workmanship and Finish for Body and Lid (Clause 7.1 & 7.2)	Qualitative	IS 2347	Permanent
418	Mini Domestic	Water Rate Adjuster	Qualitative	IS 15558	Permanent
419	Water Heater for use with LPG	Water Soundness	Qualitative	IS 15558	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **33** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
420	Mini Domestic Water Heater for use with Piped Natural Gas (PNG)	Combustion	0.001 to 2.0	IS 17150	Permanent
421		Connections	Qualitative	IS 17150	Permanent
422		Flame Stability	Qualitative	IS 17150	Permanent
423		Flame Visibility	Qualitative	IS 17150	Permanent
424		Flash Back	Qualitative	IS 17150	Permanent
425		Gas Taps	Qualitative	IS 17150	Permanent
426		General Requirement	Qualitative	IS 17150	Permanent
427		Hot Water Output	Qualitative	IS 17150	Permanent
428		Ignition and Flame Travel	Qualitative	IS 17150	Permanent
429		Ignition Device	Qualitative	IS 17150	Permanent
430		Material	Qualitative	IS 17150	Permanent
431		Noise Control	Qualitative	IS 17150	Permanent
432		Protection Against Accidental Overheating	Qualitative	IS 17150	Permanent
433		Resistance to Draught	Qualitative	IS 17150	Permanent
434		Thermal Efficiency	0.1 % to 100 %	IS 17150	Permanent
435		Time for Temperature Rise	1 s to 120 s	IS 17150	Permanent
436		Water Rate Adjuster	Qualitative	IS 17150	Permanent
437		Water Soundness	Qualitative	IS 17150	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **34** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
438	Non-Stick	Material	Qualitative	IS 9730	Permanent
439	Unreinforced Plastics Coatings on Domestic Cooking Utensils	Visual Defects	Qualitative	IS 9730	Permanent
440	Performance of Handles and	Attachment to Cookware	Qualitative	IS 13395	Permanent
441	Handle	Bending Strength	Qualitative	IS 13395	Permanent
442	Assemblies Attached to Cookware	Burning Resistance	Qualitative	IS 13395	Permanent
443		Construction, Materials, Selection and Size,	Qualitative	IS 13395	Permanent
444		Fatigue Resistance	Qualitative	IS 13395	Permanent
445		Heat Resistance	Qualitative	IS 13395	Permanent
446		Impact Strength	Qualitative	IS 13395	Permanent
447		Leakage	Qualitative	IS 13395	Permanent
448		Materials	Qualitative	IS 13395	Permanent
449		Performance General	Qualitative	IS 13395	Permanent
450		Position of Handle and knob with respect to Cookware	Qualitative	IS 13395	Permanent
451		Position with respect to Cookware	Qualitative	IS 13395	Permanent
452		Selection and Size	Qualitative	IS 13395	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **35** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
453		Thermal Insulation	Qualitative	IS 13395	Permanent
454		Torque Strength	Qualitative	IS 13395	Permanent
455		Washing Resistance	Qualitative	IS 13395	Permanent
456		Waste Outlet	Qualitative	IS 13395	Permanent
457	Stainless Steel Cookware	Dry Heat Test	Qualitative	IS 14756	Permanent
458		Mechanical Shock Test	Qualitative	IS 14756	Permanent
459		Nominal Capacity test	0.5 L to 20 L	IS 14756	Permanent
460		Shapes and Dimensions	100 mm to 350 mm	IS 14756	Permanent
461		Shapes and Dimensions - Minimum Finished Thickness of the utensils	0.001 mm to 100 mm	IS 14756	Permanent
462		Test(s) on Tempered Glass Lid - Thermal Shock test	Qualitative	IS 14756	Permanent
463		Test(s) on Tempered Glass Lid - Fragmentation test	Qualitative	IS 14756	Permanent
464		Test(s) on Tempered Glass Lid- Ball drop test	Qualitative	IS 14756	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **36** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
465		Test(s) on Tempered Glass Lid- Free fall test	Qualitative	IS 14756	Permanent
466		Thermal Shock Test	Qualitative	IS 14756	Permanent
467		Workmanship and Finish	Qualitative	IS 14756	Permanent
468	Stainless Steel Sink for Domestic Purpose	Bowl Locating Limits	Qualitative	IS 13983	Permanent
469		Construction and Workmanship	Qualitative	IS 13983	Permanent
470		Coordinating Size	Qualitative	IS 13983	Permanent
471		Depth of Bowls	100 mm to 350 mm	IS 13983	Permanent
472		Dimensions and Tolerances, Thickness of Sheet/Strip	0.001 mm to 50 mm	IS 13983	Permanent
473		Finish	Qualitative	IS 13983	Permanent
474		Internal Dimension of Bowl	340 mm to 1000 mm	IS 13983	Permanent
475		Over-flows	Qualitative	IS 13983	Permanent
476		Tap Holes	Qualitative	IS 13983	Permanent
477	Utility Lighters	Burning Behaviour	Qualitative	IS/ISO 22702	Permanent
478		Compatibility with Fuels	Qualitative	IS/ISO 22702	Permanent
479		External Finish	Qualitative	IS/ISO 22702	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **37** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
480		Flame extinction	Qualitative	IS/ISO 22702	Permanent
481		Flame generation	Qualitative	IS/ISO 22702	Permanent
482		Flame Heights	Qualitative	IS/ISO 22702	Permanent
483		Refilling of Utility Lighters	Qualitative	IS/ISO 22702	Permanent
484		Resistance to continuous burn	Qualitative	IS/ISO 22702	Permanent
485		Resistance to Cyclic Burn	Qualitative	IS/ISO 22702	Permanent
486		Resistance to dropping	Qualitative	IS/ISO 22702	Permanent
487		Resistance to elevated temperature	Qualitative	IS/ISO 22702	Permanent
488		Resistance to Internal Pressure	Qualitative	IS/ISO 22702	Permanent
489		Resistance to Spitting or Sputtering and flaring	Qualitative	IS/ISO 22702	Permanent
490		Volumetric Displacement	Qualitative	IS/ISO 22702	Permanent
491	Lighters	Burning Behaviour	Qualitative	IS/ISO 9994	Permanent
492		Compatibility with Fuels	Qualitative	IS/ISO 9994	Permanent
493		External Finish	Qualitative	IS/ISO 9994	Permanent
494		Flame extinction	Qualitative	IS/ISO 9994	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **38** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
495		Flame generation	Qualitative	IS/ISO 9994	Permanent
496		Flame Heights	Qualitative	IS/ISO 9994	Permanent
497		Refilling of Utility Lighters	Qualitative	IS/ISO 9994	Permanent
498		Resistance to continuous burn	Qualitative	IS/ISO 9994	Permanent
499		Resistance to Cyclic Burn	Qualitative	IS/ISO 9994	Permanent
500		Resistance to dropping	Qualitative	IS/ISO 9994	Permanent
501		Resistance to elevated temperature	Qualitative	IS/ISO 9994	Permanent
502		Resistance to Internal Pressure	Qualitative	IS/ISO 9994	Permanent
503		Resistance to Spitting or Sputtering and flaring	Qualitative	IS/ISO 9994	Permanent
504		Volumetric Displacement	Qualitative	IS/ISO 9994	Permanent
505		Resistance to fuel loss	Qualitative	IS/ISO 9994	Permanent
506		Mass of Fuel	0.001 g to 20 g	IS/ISO 9994	Permanent
507		Classification	Qualitative	IS 1660	Permanent
508		Fabrication	Qualitative	IS 1660	Permanent



Certificate



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **39** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
509	Wrought Aluminium Utensils	Finish and Appearance (Abrasion Resistance)	Qualitative	IS 1660	Permanent
510		Finish and Appearance (Basis metal, Finish of the coating,)	Qualitative	IS 1660	Permanent
511		Finish and Appearance (Colour)	Qualitative	IS 1660	Permanent
512		Finish and Appearance (Hardness)	Qualitative	IS 1660	Permanent
513		Finish and Appearance (Thickness, Coating Thickness)	Qualitative	IS 1660	Permanent
514		Handles	Qualitative	IS 1660	Permanent
515		Shape and Dimensions	0.01mm-200 mm	IS 1660	Permanent
516		Tests for Lunch Box - Ground Nut Oil test for Leakage	Qualitative	IS 1660	Permanent
517		Tests for Lunch Boxes - Performance Test	Qualitative	IS 1660	Permanent
518		Workmanship and Finish	Qualitative	IS 1660	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **40** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
519	Stainless Steel Plate, Sheet and Strip	Dimensions and Tolerances, Surface Finish and Freedom from Defects of Stainless Steel Plate, Sheet and Strip	Qualitative	IS 6911	Permanent
520	Stainless Steel Sheets and Strips for Utensils	Dimensions, Surface Finish, Freedom from defects of Stainless Steel Sheets and Strips for Utensils	Qualitative	IS 5522	Permanent
521	Stainless Steel Semi-Finished Products, Bars, Wire Rods and Bright Bars	Dimensional Tolerances & Freedom from Defects of Stainless Steel Wire Rods	Qualitative	IS 6603	Permanent
522	Wrought Aluminium & Aluminium Alloy Bar, rod and Section	Dimensions and Tolerances	Qualitative	IS 3965	Permanent
523	Wrought Aluminium and Aluminium Alloy Rivet Stock	Freedom from Defects	Qualitative	IS 740	Permanent
524		Head Forming Test	Qualitative :Applicable only to Rivet Stock of 1.6 mm Diameter and above	IS 740	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **41** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
525	Wrought Aluminium and its Alloys- Rivet, Bolt and Screw Stock	Dimensions and Tolerances	Qualitative	IS 3577	Permanent
526	Plastic Flushing Cisterns for Water Closets and Urinals	Additional Requirements for Water Efficiency	Qualitative	IS 17650 (Part 1)	Permanent
527		Construction - Exposed Cistern	Qualitative	IS 7231	Permanent
528		Construction - Concealed Cistern	Qualitative	IS 7231	Permanent
529		Dead Load Test	Qualitative	IS 7231	Permanent
530		Discharge Capacity	0.01 L to 10 L	IS 7231	Permanent
531		Discharge Rate	1.4 L/s to 2 L/s	IS 7231	Permanent
532		Distortion Resistance Test	Qualitative	IS 7231	Permanent
533		Endurance Test	Qualitative	IS 7231	Permanent
534		Finish (Light transmittance)	0.01 % to 100 %	IS 12235 (Part 3)	Permanent
535		Finish (Opacity)	Qualitative	IS 12235 (Part 3)	Permanent
536		Front Thrust Test	Qualitative	IS 7231	Permanent
537		Impact Test	Qualitative	IS 7231	Permanent
538		Material	Qualitative	IS 7231	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **42** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
539		Operational and Performance Requirements	Qualitative	IS 7231	Permanent
540	Decorative Thermosetting Synthetic Resin Bonded Laminated Sheets	Colour and Patterns	Qualitative	IS 2046	Permanent
541		Surface Finish	Qualitative	IS 2046	Permanent
542		Thickness	0.5 mm to 10.0 mm	IS 2046	Permanent
543		Appearance	Qualitative	IS 2046	Permanent
544		Resistance to Surface wear	(1 to 1000) Revolutions	Annex C of IS 2046	Permanent
545		Resistance to Immersion in Boiling Water (Mass Increase)	0.1% to 25%	Annex D of IS 2046	Permanent
546		Resistance to Immersion in Boiling Water (Thickness Increase)	0.1% to 25%	Annex D of IS 2046	Permanent
547		Resistance to Immersion in Boiling Water (Appearance)	Qualitative	Annex D of IS 2046	Permanent
548		Resistance to Dry heat at 180°C (Appearance)	Qualitative	Annex E of IS 2046	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **43** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
549		Resistance to Dry heat at 180°C (Gloss and others)	Qualitative	Annex E of IS 2046	Permanent
550		Dimensional Stability at deviated Temperature (Cumulative)	0.1% to 25%	Annex F of IS 2046	Permanent
551		Dimensional Stability at deviated Temperature (Dimensional Change)	0.1% to 25%	Annex F of IS 2046	Permanent
552		Dimensional Stability at 20°C (Cumulative)	0.1% to 25%	Annex G of IS 2046	Permanent
553		Dimensional Stability at 20°C (Dimensional Change)	0.1% to 25%	Annex G of IS 2046	Permanent
554		Resistance to Impact by small diameter ball (Spring Force)	0.1 N to 100 N	Annex H of IS 2046	Permanent
555		Resistance to Impact by Large diameter balls (Self supporting compact laminates)- Drop Height	0.1 cm to 100 cm	Annex J of IS 2046	Permanent
556		Resistance to Impact by Large diameter balls (Self supporting	0.01mm to 100 mm	Annex J of IS 2046	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **44** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
		compact laminates)- Diameter of Indentation			
557		Resistance to Cracking (Thin Laminates)- Appearance	Qualitative	Annex K of IS 2046	Permanent
558		Resistance to Scratching (Load)	0.2N to 5 N	Annex L of IS 2046	Permanent
559		Resistance to Staining (Appearance)-Grade 1 & 2	Qualitative	Annex M of IS 2046	Permanent
560		Resistance to Staining (Appearance)-Grade 3 & 4	Qualitative	Annex M of IS 2046	Permanent
561		Resistance to Colour Change in Xe-arc light (Wool standards)	1 to 100	Annex N of IS 2046	Permanent
562		Resistance to Colour Change in enclosed carbon arc light (Wool standards)	1 to 100	Annex O of IS 2046	Permanent
563		Resistance to Cigarette burns (Appearance)	Qualitative	Annex P of IS 2046	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **45** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
564		Resistance to Cigarette burns (Time to Failure)	1 s to 200 s	Annex Q of IS 2046	Permanent
565		Formability- Method A (Radius)	Qualitative	Annex R of IS 2046	Permanent
566		Formability- Method B (Radius)	Qualitative	Annex R of IS 2046	Permanent
567		Resistance to Blistering- Method A “Time to Blister (t_2-t_1)”	Qualitative	Annex S of IS 2046	Permanent
568		Resistance to Blistering- Method B “Time to Blister (t_2-t_1)”	Qualitative	Annex S of IS 2046	Permanent
569		Resistance to Steam (Appearance)	Qualitative	Annex T of IS 2046	Permanent
570		Resistance to Crazeing (Thick Laminates)- Susceptibility	Qualitative	Annex N of IS 2046	Permanent
571		Resistance to Moisture(Double faced compact laminates)- Appearance	Qualitative	Annex Y of IS 2046	Permanent
572		Flexural Modulus (Stress)	10 MPa to 20000 MPa	Annex F of IS 13401	Permanent
573		Flexural Strength (Stress)	10 MPa to 20000 MPa	Annex F of IS 13401	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **46** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
574		Tensile Strength (Stress)	10 MPa to 200 MPa	IS 8543 (Part-4, Sec-1)	Permanent
575	Safety Glass	Boil and Bake Test	Qualitative	IS 17004	Permanent
576		Defects in the central Area	Qualitative	IS 2553 (Part 1)	Permanent
577		Dimensions and Squareness	Qualitative	IS 2553 (Part 1)	Permanent
578		Distribution of Allowable Defects	Qualitative	IS 2553 (Part 1)	Permanent
579		Edge Displacement	Qualitative	IS 2553 (Part 1)	Permanent
580		Edge Working of Glass for Toughening	Qualitative	IS 2553 (Part 1)	Permanent
581		Fabrication in Glass	Qualitative	IS 2553 (Part 1)	Permanent
582		Flatness Test	Qualitative	IS 17004	Permanent
583		Four Point Bending Test	Qualitative	IS 17004	Permanent
584		Fracture and Adhesion Test	Qualitative	IS 17004	Permanent
585		Fragmentation Test	Qualitative	IS 17004	Permanent
586		Humidity Test	Qualitative	IS 17004	Permanent
587		Light Stability Test	Qualitative	IS 17004	Permanent
588		Other Distortions	Qualitative	IS 2553 (Part 1)	Permanent
589		Resistance to Human Impact	Qualitative	IS 17004	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **47** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
590		Resistance to Shock Test	Qualitative	IS 17004	Permanent
591		Surface Compression	Qualitative	IS 17004	Permanent
592		Thermal Shock Test	Qualitative	IS 6506	Permanent
593		Thickness	0.5 mm to 25 mm	IS 17004	Permanent
594		Working on Glass after Lamination	Qualitative	IS 2553 (Part 1)	Permanent
595	Aluminium & Aluminium Alloy Extrusions	Outside Diameter	5 mm to 500 mm	IS 733	Permanent
596	Aluminium & Aluminium Alloy Extrusions	Inside Diameter	5 mm to 500 mm	IS 733	Permanent
597	Aluminium & Aluminium Alloy Extrusions	Thickness	0.2 mm to 100 mm	IS 733	Permanent
598	Aluminium & Aluminium Alloy Extrusions	Width	Up to 500 mm	IS 733	Permanent
599	Aluminium & Aluminium Alloy Extrusions	Length	Up to 6000 mm	IS 733	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **48** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
600	Aluminium & Aluminium Alloy Extrusions	Straightness	Up to 6000 mm	IS 733	Permanent
601	Aluminium & Aluminium Alloy Extrusions	Squareness / Twist	Up to 500 mm	IS 733	Permanent
602	Aluminium & Aluminium Alloy Extrusions	Corner Radius	0.5 mm to 25 mm	IS 733	Permanent
603	Aluminium & Aluminium Alloy Extrusions	Wall Thickness Variation	0.2 mm to 100 mm	IS 733	Permanent
604	Aluminium & Aluminium Alloy Extrusions	Surface Finish / Freedom from Surface Defects	Qualitative	IS 733	Permanent
605	Aluminium & Aluminium Alloy Extrusions	Workmanship	Qualitative	IS 733	Permanent
606	Three Piece Metal Cans	Can Height	20 mm to 300 mm	IS 2508	Permanent
607	Three Piece Metal Cans	Outside Diameter	30 mm to 250 mm	IS 2508	Permanent
608	Three Piece Metal Cans	Inside Diameter	30 mm to 250 mm	IS 2508	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **49** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
609	Three Piece Metal Cans	Body Wall Thickness	0.10 mm to 1.00 mm	IS 2508	Permanent
610	Three Piece Metal Cans	Can Capacity	50 mL to 5000 mL	IS 18427	Permanent
611	Three Piece Metal Cans	Roundness	30 mm to 250 mm	IS 2508	Permanent
612	Three Piece Metal Cans	Flange Width	1 mm to 10 mm	IS 2508	Permanent
613	Three Piece Metal Cans	Flange Depth	1 mm to 10 mm	IS 2508	Permanent
614	Three Piece Metal Cans	Neck Diameter	30 mm to 250 mm	IS 2508	Permanent
615	Three Piece Metal Cans	Neck Height	1 mm to 50 mm	IS 2508	Permanent
616	Three Piece Metal Cans	Bead Width	1 mm to 20 mm	IS 2508	Permanent
617	Three Piece Metal Cans	Bead Depth	1 mm to 20 mm	IS 2508	Permanent
618	Three Piece Metal Cans	Body Hook Length	0.5 mm to 5 mm	IS 2508	Permanent
619	Three Piece Metal Cans	Cover Hook Length	0.5 mm to 5 mm	IS 2508	Permanent
620	Three Piece Metal Cans	Seam Width	0.5 mm to 5 mm	IS 2508	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **50** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
621	Three Piece Metal Cans	Seam Thickness	0.5 mm to 5 mm	IS 2508	Permanent
622	Three Piece Metal Cans	Overlap	0.5 mm to 5 mm	IS 2508	Permanent
623	Three Piece Metal Cans	Countersink Depth	1 mm to 20 mm	IS 2508	Permanent
624	Three Piece Metal Cans	Chuck Wall Clearance	0.1 mm to 5 mm	IS 2508	Permanent
625	Three Piece Metal Cans	Seam Gap	0.01 mm to 2 mm	IS 2508	Permanent
626	Three Piece Metal Cans	Body Blank Length	50 mm to 1000 mm	IS 2508	Permanent
627	Three Piece Metal Cans	Body Blank Width	20 mm to 500 mm	IS 2508	Permanent
628	Three Piece Metal Cans	Side Seam Width	0.5 mm to 10 mm	IS 2508	Permanent
629	Three Piece Metal Cans	Side Stripe Width	1 mm to 20 mm	IS 2508	Permanent
630	Three Piece Metal Cans	End Curl Diameter	30 mm to 250 mm	IS 2508	Permanent
631	Three Piece Metal Cans	End Panel Depth	0.5 mm to 20 mm	IS 2508	Permanent
632	Three Piece Metal Cans	Easy Open End Diameter	30 mm to 250 mm	IS 2508	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **51** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
633	Three Piece Metal Cans	Easy Open End Thickness	0.10 mm to 1.00 mm	IS 2508	Permanent
634	Three Piece Metal Cans	Pull Tab Thickness	0.10 mm to 1.00 mm	IS 2508	Permanent
635	Three Piece Metal Cans	Rivet Diameter	0.5 mm to 10 mm	IS 2508	Permanent
636	Three Piece Metal Cans	Rivet Height	0.5 mm to 10 mm	IS 2508	Permanent
637	Three Piece Metal Cans	Opening Score Residual Thickness	0.01 mm to 0.50 mm	IS 2508	Permanent
638	Three Piece Metal Cans	Peel-Off End Foil Thickness	0.01 mm to 1 mm	IS 2508	Permanent
639	Three Piece Metal Cans	Peel-Off End Seal Width	0.5 mm to 20 mm	IS 2508	Permanent
640	Three Piece Metal Cans	Double Seam Teardown Examination	Qualitative	IS 18427 : 2024 Annex D	Permanent
641	Three Piece Metal Cans	Seam Tightness Rating	0 % to 100 %	IS 18427 : 2024 Annex D	Permanent
642	Three Piece Metal Cans	Body Hook Butting	0 % to 100 %	IS 18427 : 2024 Annex D	Permanent
643	Three Piece Metal Cans	Actual Overlap	0.1 mm to 5 mm	IS 18427 : 2024 Annex D	Permanent
644	Three Piece Metal Cans	Percentage Overlap	1 % to 100 %	IS 18427 : 2024 Annex D	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **52** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
645	Three Piece Metal Cans	Opening Force (EOE)	1 N to 100 N	IS 18427 : 2024 Annex F	Permanent
646	Three Piece Metal Cans	Peel Force (POE)	1 N to 100 N	IS 18427 : 2024 Annex F	Permanent
647	Three Piece Metal Cans	Buckling Resistance	10 kPa to 500 kPa	IS 18427 : 2024 Annex G	Permanent
648	Three Piece Metal Cans	Axial Load Resistance	50 N to 5000 N	IS 18427 : 2024 Annex G	Permanent
649	Three Piece Metal Cans	Internal Pressure Resistance	5 kPa to 1000 kPa	IS 18427 : 2024 Annex G	Permanent
650	Three Piece Metal Cans	Vacuum Resistance	5 kPa to 100 kPa	IS 18427 : 2024 Annex G	Permanent
651	Three Piece Metal Cans	Leakage Test	Qualitative	IS 18427 : 2024 Annex G	Permanent
652	Three Piece Metal Cans	Burst Test	5 kPa to 1000 kPa	IS 18427 : 2024 Annex G	Permanent
653	Three Piece Metal Cans	Drop Resistance	100 mm to 2000 mm	IS 18427 : 2024 Annex G	Permanent
654	Three Piece Metal Cans	Dent Resistance	Qualitative	IS 18427 : 2024 Annex G	Permanent
655	Three Piece Metal Cans	Stacking Strength	50 N to 5000 N	IS 18427 : 2024 Annex G	Permanent
656	Three Piece Metal Cans	Ball Test	Qualitative	IS 18427 : 2024 Annex H	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **53** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
657	Three Piece Metal Cans	Cone Test	Qualitative	IS 18427 : 2024 Annex H	Permanent
658	Copper Water Bottle	Sheet Thickness	0.10 mm to 5.0 mm	IS 2508	Permanent
659	Copper Water Bottle	Lid Thickness	0.10 mm to 5.0 mm	IS 2508	Permanent
660	Stainless Steel Water Bottle	Sheet Thickness	0.10 mm to 5.0 mm	IS 2508	Permanent
661	Stainless Steel Water Bottle	Lid Thickness	0.10 mm to 5.0 mm	IS 2508	Permanent
662	Aluminium Water Bottle	Anodic Coating Thickness	5 µm to 100 µm	IS 1868	Permanent
663	Potable Water Bottle	Capacity	Up to 1500 mL	IS 17803 : 2022	Permanent
664	Potable Water Bottle	Drop Impact Resistance	Drop Height 400 mm	IS 17803 : 2022	Permanent
665	Potable Water Bottle	Pendulum Impact Resistance	45° Impact	IS 17803 : 2022	Permanent
666	Potable Water Bottle with Shoulder Strap	Strength of Shoulder Strap	1 kg to 100 kg	IS 17803 : 2022	Permanent
667	Potable Water Bottle with Shoulder Strap	Elongation of Shoulder Strap	0 % to 100 %	IS 17803 : 2022	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **54** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
668	Potable Water Bottle with Cord	Strength of Cord	0.5 kg to 50 kg	IS 17803 : 2022	Permanent
669	Potable Water Bottle with Cord Chain	Strength of Cord Chain	0.5 kg to 50 kg	IS 17803 : 2022	Permanent
670	Potable Water Bottle	Leakage Test (Hot Water Method)	75 % Capacity / 95°C	IS 17803 : 2022	Permanent
671	Potable Water Bottle	Leakage Test (Air Pressure Method)	0 kPa to 100 kPa	IS 2471	Permanent
672	Water Bottle with Lever / Flow Device	Lever Operation Test	0 to 1500 Cycles	IS 17803 : 2022	Permanent
673	Potable Water Bottle	Stability Test	10° Inclined Plane	IS 17803 : 2022	Permanent
674	Potable Water Bottle	Load Test	0 kg to 10 kg	IS 17803 : 2022	Permanent
675	Stainless Steel Vacuum Flask/Bottle	Thickness of Outer Container	0.10 mm to 5.00 mm	IS 2508	Permanent
676	Stainless Steel Vacuum Flask/Bottle	Capacity	150 mL to 2500 mL	IS 17526 : 2021	Permanent
677	Stainless Steel Vacuum Flask/Bottle	Heat Retention Capability (1 Hour)	40°C to 95°C	IS 17526 : 2021 Annex A	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **55** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
678	Stainless Steel Vacuum Flask/Bottle	Heat Retention Capability (6 Hours)	40°C to 95°C	IS 17526 : 2021 Annex A	Permanent
679	Stainless Steel Vacuum Flask/Bottle	Heat Retention Capability (12 Hours)	40°C to 95°C	IS 17526 : 2021 Annex A	Permanent
680	Stainless Steel Vacuum Flask/Bottle	Heat Retention Capability (24 Hours)	40°C to 95°C	IS 17526 : 2021 Annex A	Permanent
681	Stainless Steel Vacuum Flask/Bottle	Cold Retention Capability (6 Hours)	0°C to 20°C	IS 17526 : 2021 Annex B	Permanent
682	Stainless Steel Vacuum Flask/Bottle	Drop Impact Resistance	Drop Height 400 mm	IS 17526 : 2021	Permanent
683	Stainless Steel Vacuum Flask/Bottle	Pendulum Impact Resistance	45° Impact	IS 17526 : 2021	Permanent
684	Stainless Steel Vacuum Flask/Bottle with Handle	Fixing Strength of Handle	1 kg to 100 kg	IS 17526 : 2021	Permanent
685	Stainless Steel Vacuum Flask/Bottle with Shoulder Strap	Strength of Shoulder Strap	1 kg to 100 kg	IS 17526 : 2021	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **56** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
686	Stainless Steel Vacuum Flask/Bottle with Cord	Strength of Cord	1 kg to 100 kg	IS 17526 : 2021	Permanent
687	Stainless Steel Vacuum Flask/Bottle with Cord	Elongation of Cord	0 % to 100 %	IS 17526 : 2021	Permanent
688	Stainless Steel Vacuum Flask/Bottle	Leakage Test	Qualitative	IS 17526 : 2021	Permanent
689	Stainless Steel Vacuum Flask/Bottle	Joint Leak Test	0 g to 5000 g	IS 17526 : 2021	Permanent
690	Stainless Steel Vacuum Flask/Bottle with Strap	Length of Shoulder Strap	400 mm to 2000 mm	IS 17526 : 2021	Permanent
691	Stainless Steel Vacuum Flask/Bottle	Stability Test	10° Inclined Plane	IS 17526 : 2021	Permanent
692	Stainless Steel Vacuum Flask/Bottle	Pour Test	Qualitative	IS 17526 : 2021	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **57** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
693	Stainless Steel Vacuum Flask/Bottle	Visual Examination / Workmanship	Qualitative	IS 17526 : 2021	Permanent
694	Stainless Steel Vacuum Flask/Bottle	Marking Verification	Qualitative	IS 17526 : 2021	Permanent
695	Insulated Containers for Food Storage	Polymer Thickness	1.50 mm to 20 mm	IS 17569 : 2021	Permanent
696	Insulated Containers for Food Storage	Capacity	0.5 L to 20 L	IS 17569 : 2021	Permanent
697	Insulated Containers for Food Storage	Heat Retention Capability (1 Hour)	40°C to 95°C	IS 17569 : 2021 Annex A	Permanent
698	Insulated Containers for Food Storage	Heat Retention Capability (6 Hours)	40°C to 95°C	IS 17569 : 2021 Annex A	Permanent
699	Insulated Containers for Food Storage	Heat Retention Capability (12 Hours)	40°C to 95°C	IS 17569 : 2021 Annex A	Permanent
700	Insulated Containers for Food Storage	Heat Retention Capability (24 Hours)	40°C to 95°C	IS 17569 : 2021 Annex A	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **58** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
701	Insulated Containers for Food Storage	Cold Retention Capability (6 Hours)	0°C to 20°C	IS 17569 : 2021 Annex B	Permanent
702	Insulated Containers for Food Storage	Drop Impact Resistance	Drop Height 400 mm	IS 17569 : 2021	Permanent
703	Insulated Containers for Food Storage	Pendulum Impact Resistance	45° Impact	IS 17569 : 2021	Permanent
704	Insulated Containers for Food Storage	Strength of Handle	1 kg to 100 kg	IS 17569 : 2021	Permanent
705	Insulated Containers for Food Storage	Strength of Shoulder Strap	1 kg to 200 kg	IS 17569 : 2021	Permanent
706	Insulated Containers for Food Storage	Elongation of Shoulder Strap	0 % to 100 %	IS 17569 : 2021	Permanent
707	Insulated Containers for Food Storage	Leakage Test	Qualitative	IS 17569 : 2021	Permanent
708	Insulated Containers for Food Storage	Joint Leak Test	Qualitative	IS 17569 : 2021	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **59** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
709	Insulated Containers for Food Storage	Resistance to Staining	Qualitative	IS 17569 : 2021	Permanent
710	Insulated Containers for Food Storage	Verification of Thermal Insulation Material (PUF/Equivalent)	Qualitative	IS 17569 : 2021	Permanent
711	Insulated Containers for Food Storage	Length of Shoulder Strap	400 mm to 2000 mm	IS 17569 : 2021	Permanent
712	Insulated Containers for Food Storage	Stability Test	10° Inclined Plane	IS 17569 : 2021	Permanent
713	Insulated Containers for Food Storage	Cleaning Verification	Qualitative	IS 17569 : 2021	Permanent
714	Insulated Containers for Food Storage	Seepage Test	Qualitative	IS 17569 : 2021	Permanent
715	Insulated Containers for Food Storage	Visual Examination / Workmanship	Qualitative	IS 17569 : 2021	Permanent
716	Insulated Containers for Food Storage	Marking Verification	Qualitative	IS 17569 : 2021	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **60** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
717	Insulated Flask	Plastic Casing Thickness	1.50 mm to 20 mm	IS 17790 : 2022	Permanent
718	Insulated Flask	Capacity	150 mL to 2500 mL	IS 17790 : 2022	Permanent
719	Insulated Flask	Heat Retention Capability (1 Hour)	40°C to 95°C	IS 17790 : 2022 Annex A	Permanent
720	Insulated Flask	Heat Retention Capability (6 Hours)	40°C to 95°C	IS 17790 : 2022 Annex A	Permanent
721	Insulated Flask	Heat Retention Capability (12 Hours)	40°C to 95°C	IS 17790 : 2022 Annex A	Permanent
722	Insulated Flask	Heat Retention Capability (24 Hours)	40°C to 95°C	IS 17790 : 2022 Annex A	Permanent
723	Insulated Flask	Cold Retention Capability (6 Hours)	0°C to 20°C	IS 17790 : 2022 Annex B	Permanent
724	Insulated Flask	Drop Impact Resistance	Drop Height 400 mm	IS 17790 : 2022	Permanent
725	Insulated Flask	Pendulum Impact Resistance	45° Impact	IS 17790 : 2022	Permanent
726	Insulated Flask with Handle	Fixing Strength of Handle	1 kg to 100 kg	IS 17790 : 2022	Permanent
727	Insulated Flask with Shoulder Strap	Strength of Shoulder Strap	1 kg to 100 kg	IS 17790 : 2022	Permanent
728	Insulated Flask with Shoulder Strap	Elongation of Shoulder Strap	0 % to 100 %	IS 17790 : 2022	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **61** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
729	Insulated Flask with Cord	Strength of Cord	0.5 kg to 50 kg	IS 17790 : 2022	Permanent
730	Insulated Flask with Cord	Elongation of Cord	0 % to 100 %	IS 17790 : 2022	Permanent
731	Insulated Flask	Leakage Test	Qualitative	IS 17790 : 2022	Permanent
732	Insulated Flask	Joint Leakage Test	0 g to 5000 g	IS 17790 : 2022	Permanent
733	Insulated Flask	Verification of Insulation Material (PUF / Equivalent)	Qualitative	IS 17790 : 2022	Permanent
734	Insulated Flask	Seepage Test	Qualitative	IS 17790 : 2022	Permanent
735	Insulated Flask with Lever Arrangement	Lever / Flow Control Device Test	0 to 1500 Cycles	IS 17790 : 2022	Permanent
736	Insulated Flask with Shoulder Strap	Length of Shoulder Strap	400 mm to 2000 mm	IS 17790 : 2022	Permanent
737	Insulated Flask	Stability Test	10° Inclined Plane	IS 17790 : 2022	Permanent
738	Insulated Flask	Pour Test	Qualitative	IS 17790 : 2022	Permanent
739	Insulated Flask	Visual Examination / Workmanship	Qualitative	IS 17790 : 2022	Permanent
740	Insulated Flask	Marking Verification	Qualitative	IS 17790 : 2022	Permanent
741	Wrought Aluminium & Aluminium Alloy Utensil Material	Thickness	0.20 mm to 12 mm	IS 2676 / IS 2677	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **62** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
742	Wrought Aluminium & Aluminium Alloy Utensil Material	Width	10 mm to 2500 mm	IS 2676 / IS 2677	Permanent
743	Wrought Aluminium & Aluminium Alloy Utensil Material	Length	10 mm to 5000 mm	IS 2676 / IS 2677	Permanent
744	Wrought Aluminium & Aluminium Alloy Utensil Material	Diameter of Circle	100 mm to 2200 mm	IS 21 : 2025	Permanent
745	Wrought Aluminium & Aluminium Alloy Utensil Material	Major Diameter of Oval	100 mm to 2200 mm	IS 21 : 2025	Permanent
746	Wrought Aluminium & Aluminium Alloy Utensil Material	Minor Diameter of Oval	100 mm to 2200 mm	IS 21 : 2025	Permanent
747	Wrought Aluminium & Aluminium Alloy Utensil Material	Earing Test (Optional)	Qualitative / As Agreed	IS 21 : 2025	Permanent
748	Wrought Aluminium &	Visual Examination / Surface Quality	Qualitative	IS 737 : 2024	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **63** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	Aluminium Alloy Utensil Material				
749	Wrought Aluminium & Aluminium Alloy Utensil Material	Marking Verification	Qualitative	IS 21 : 2025	Permanent
750	Domestic Ethanol Cookstove with Fixed and Removable Canister Type	Canister Height	0–100 mm	IS 18380:2023 Cl.4	Permanent
751	Domestic Ethanol Cookstove with Fixed and Removable Canister Type	Canister Capacity	0–2 L	IS 18380:2023 Cl.4.1.1 / 4.2.1	Permanent
752	Domestic Ethanol Cookstove	Fuel Tank Capacity (Fixed Type)	0–5 L	IS 18380:2023 Cl.4.1.2	Permanent
753	Domestic Ethanol Cookstove	Stable Flame Operation Range	15–100 % Fuel Capacity	IS 18380:2023 Cl.4.1.3 / 4.2.2	Permanent
754	Domestic Ethanol Cookstove	Residual Fuel after Operation	0–100 %	IS 18380:2023 Cl.4.1.4	Permanent
755	Domestic Ethanol Cookstove	Leakage of Liquid Fuel at 180° Tilt	Qualitative	IS 18380:2023 Cl.4.1.1 / 4.2.1	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **64** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
756	Domestic Ethanol Cookstove	Gap between Canister Surface and Lever Assembly	0–5 mm	IS 18380:2023 Cl.5.2	Permanent
757	Domestic Ethanol Cookstove	Ethanol Vapour Concentration in Kitchen	0–5000 ppm	IS 18380:2023 Cl.5.3	Permanent
758	Domestic Ethanol Cookstove	Normal Evaporation Rate of Ethanol	0–100 g/h	Annex C (C-3.1)	Permanent
759	Domestic Ethanol Cookstove	Plastic Component Ageing Test	Qualitative	Annex B of IS 5116	Permanent
760	Domestic Ethanol Cookstove	Corrosion Resistance of Fuel Tank Material	Qualitative	IS 18380:2023 Cl.6.6	Permanent
761	Domestic Ethanol Cookstove	Canister Sheet Thickness	0–5 mm	IS 18380:2023 Cl.7.3	Permanent
762	Domestic Ethanol Cookstove	Frame Thickness	0–10 mm	IS 18380:2023 Cl.7.3	Permanent
763	Domestic Ethanol Cookstove	Tilting Stability Test	0–90°	IS 18380:2023 Cl.8.1.6 / 8.2.3	Permanent
764	Domestic Ethanol Cookstove	Fuel Retention at 180° Tilt	Qualitative	IS 18380:2023 Cl.8.1.7 / 8.2.4	Permanent
765	Domestic Ethanol Cookstove	Lever Shut-off Performance	Qualitative	IS 18380:2023 Cl.8.1.8 / 8.2.5	Permanent
766	Domestic Ethanol Cookstove	Distance Between Adjacent Canister Centres	0–500 mm	IS 18380:2023 Cl.9.2	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **65** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
767	Domestic Ethanol Cookstove	Canister Interchangeability Verification	Qualitative	IS 18380:2023 Cl.9.3	Permanent
768	Domestic Ethanol Cookstove	Workmanship & Finish	Qualitative	IS 18380:2023 Cl.10	Permanent
769	Domestic Ethanol Cookstove	Adhesion of Electroplated Coating	Qualitative	IS 18380:2023 Cl.10.3.2	Permanent
770	Domestic Ethanol Cookstove	Resistance to Abrasion (Paint Finish)	Qualitative	IS 18380:2023 Cl.10.4.1	Permanent
771	Domestic Ethanol Cookstove	Resistance to Heating of Paint Finish	Qualitative	IS 18380:2023 Cl.10.4.3	Permanent
772	Domestic Ethanol Cookstove	Pan Support Diameter Suitability	100–300 mm	IS 18380:2023 Cl.12	Permanent
773	Domestic Ethanol Cookstove	Strength & Rigidity of Body – Vertical Deflection	0–20 mm	Annex B	Permanent
774	Domestic Ethanol Cookstove	Change in Width after Strength Test	0–20 mm	Annex B	Permanent
775	Domestic Ethanol Cookstove	Change in Length after Strength Test	0–20 mm	Annex B	Permanent
776	Domestic Ethanol Cookstove	Load Applied During Strength Test	0–2000 N	Annex B	Permanent
777	Domestic Ethanol Cookstove	Fuel Consumption Rate	0–1000 g/h	IS 18380:2023 Annex D	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **66** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
778	Domestic Ethanol Cookstove	Time to Boil Water	0–120 min	IS 18380:2023 Annex D	Permanent
779	Domestic Ethanol Cookstove	Thermal Efficiency	0–100 %	IS 18380:2023 Annex D	Permanent
780	Domestic Ethanol Cookstove	Specific Fuel Consumption	0–1000 g/L	IS 18380:2023 Annex D	Permanent
781	Domestic Ethanol Cookstove	Useful Energy Delivered	0–50 MJ	IS 18380:2023 Annex D	Permanent
782	Domestic Ethanol Cookstove	Flame Stability During Operation	Qualitative	IS 18380:2023 Annex D	Permanent
783	Domestic Ethanol Cookstove	Flame Extinction Behaviour	Qualitative	IS 18380:2023 Annex D	Permanent
784	Domestic Ethanol Cookstove	Resistance to Draught	Qualitative	IS 18380:2023 Cl.13	Permanent
785	Domestic Ethanol Cookstove	Resistance to Fuel Creep	Qualitative	IS 18380:2023 Cl.13	Permanent
786	Domestic Ethanol Cookstove	Resistance to Fuel Spill Ignition	Qualitative	IS 18380:2023 Cl.13	Permanent
787	Domestic Ethanol Cookstove	Surface Temperature of Control Knob	Ambient–250°C	IS 18380:2023 Annex E	Permanent
788	Domestic Ethanol Cookstove	Surface Temperature of Handle	Ambient–250°C	IS 18380:2023 Annex E	Permanent
789	Domestic Ethanol Cookstove	Surface Temperature of Fuel Tank	Ambient–250°C	IS 18380:2023 Annex E	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **67** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
790	Domestic Ethanol Cookstove	Surface Temperature of Body	Ambient–500°C	IS 18380:2023 Annex E	Permanent
791	Domestic Ethanol Cookstove	Surface Temperature of Pan Support	Ambient–700°C	IS 18380:2023 Annex E	Permanent
792	Domestic Ethanol Cookstove	Temperature Rise Above Ambient	0–500°C	IS 18380:2023 Annex E	Permanent
793	Domestic Ethanol Cookstove	Combustion Efficiency	0–100 %	IS 18380:2023 Annex F	Permanent
794	Domestic Ethanol Cookstove	Fuel Leakage During Operation	Qualitative	IS 18380:2023 Cl.13	Permanent
795	Domestic Ethanol Cookstove	Shutdown Effectiveness	Qualitative	IS 18380:2023 Cl.13	Permanent
796	Domestic Ethanol Cookstove	Re-Ignition Safety Performance	Qualitative	IS 18380:2023 Cl.13	Permanent
797	Domestic Ethanol Cookstove	Durability Test – Operating Cycles	0–10000 Cycles	IS 18380:2023 Annex G	Permanent
798	Domestic Ethanol Cookstove	Durability Test – Functional Integrity	Qualitative	IS 18380:2023 Annex G	Permanent
799	Domestic Ethanol Cookstove	Durability Test – Leakage after Cycling	Qualitative	IS 18380:2023 Annex G	Permanent
800	Domestic Ethanol Cookstove	Durability Test – Shut-off Mechanism Performance	Qualitative	IS 18380:2023 Annex G	Permanent
801	Domestic Ethanol Cookstove	Operational Safety Verification	Qualitative	IS 18380:2023	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **68** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
802	Domestic Ethanol Cookstove	Visual Examination After Testing	Qualitative	IS 18380:2023	Permanent
803	Domestic Ethanol Cookstove	Marking Verification	Qualitative	IS 18380:2023 Cl.14	Permanent
804	Cold Formed Welded Carbon Steel Square/Rectangular Hollow Sections	Outside Dimension (B)	20–180 mm	IS 18573:2024	Permanent
805	Cold Formed Welded Carbon Steel Square/Rectangular Hollow Sections	Outside Dimension (H)	20–180 mm	IS 18573:2024	Permanent
806	Cold Formed Welded Carbon Steel Square/Rectangular Hollow Sections	Wall Thickness	0.9–3.9 mm	IS 18573:2024	Permanent
807	Cold Formed Welded Carbon Steel Square/Rectangular Hollow Sections	Length	4–7 m	IS 18573:2024	Permanent
808	Cold Formed Welded Carbon	Straightness	0–50 mm deviation	IS 18573:2024	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **69** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	Steel Square/Rectangular Hollow Sections				
809	Cold Formed Welded Carbon Steel Square/Rectangular Hollow Sections	Concavity	0–10 mm	IS 18573:2024	Permanent
810	Cold Formed Welded Carbon Steel Square/Rectangular Hollow Sections	Convexity	0–10 mm	IS 18573:2024	Permanent
811	Cold Formed Welded Carbon Steel Square/Rectangular Hollow Sections	Squareness of Corner	0–90°	IS 18573:2024	Permanent
812	Cold Formed Welded Carbon Steel Square/Rectangular Hollow Sections	External Corner Radius	0–20 mm	IS 18573:2024	Permanent
813	Cold Formed Welded Carbon Steel	Twist	0–20 mm/m	IS 18573:2024	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **70** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	Square/Rectangular Hollow Sections				
814	Cold Formed Welded Carbon Steel Square/Rectangular Hollow Sections	Mass per Unit Length	0.5–25 kg/m	IS 18573:2024	Permanent
815	Cold Formed Welded Carbon Steel Square/Rectangular Hollow Sections	Surface Condition / Workmanship	Qualitative	IS 18573:2024	Permanent
816	Cold Formed Welded Carbon Steel Square/Rectangular Hollow Sections	Marking Verification	Qualitative	IS 18573:2024	Permanent
817	Copper Wire Bars	Length (L)	0–2000 mm	IS 191:2007	Permanent
818	Copper Wire Bars	Width (b)	0–500 mm	IS 191:2007	Permanent
819	Copper Wire Bars	Height (h)	0–500 mm	IS 191:2007	Permanent
820	Copper Wire Bars	Radius (R, R1, R2)	0–100 mm	IS 191:2007	Permanent
821	Copper Billets	Diameter	20–500 mm	IS 191:2007	Permanent
822	Copper Billets	Length	100–5000 mm	IS 191:2007	Permanent
823	Copper Billets	Straightness	0–50 mm	IS 191:2007	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **71** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
824	Copper Cakes	Width	50–1000 mm	IS 191:2007	Permanent
825	Copper Cakes	Thickness	10–500 mm	IS 191:2007	Permanent
826	Copper Cakes	Straightness	0–50 mm	IS 191:2007	Permanent
827	Copper Ingots	Mass	1–5000 kg	IS 191:2007	Permanent
828	Copper Refinery Shapes	Surface Defects / Freedom from Defects	Qualitative	IS 191:2007 Clause 8	Permanent
829	Vitreous Enamelled Inner Tank for Storage Water Heater	Storage Capacity	1–1000 L	IS 13273:2024 Cl. 5.4	Permanent
830	Vitreous Enamelled Inner Tank for Storage Water Heater	Hydrostatic Pressure Test	0–20 bar	IS 302-2-21	Permanent
831	Vitreous Enamelled Inner Tank for Storage Water Heater	Enamel Coverage – Maximum Exposed Metal Diameter	0–10 mm	IS 13273:2024 Cl. 5.6	Permanent
832	Vitreous Enamelled Inner Tank for Storage Water Heater	Enamel Coverage – Total Exposed Area	0–100 cm ² /m ²	IS 13273:2024 Cl. 5.6.1	Permanent
833	Vitreous Enamelled Inner Tank for	Sacrificial Anode Surface Density	0–1000 g/m ²	IS 13273:2024 Cl. 5.3.4.1	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **72** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	Storage Water Heater				
834	Vitreous Enamelled Inner Tank for Storage Water Heater	Visual Examination / Burn-off / Surface Defects	Qualitative	IS 13273:2024	Permanent
835	Vitreous Enamelled Inner Tank for Storage Water Heater	Marking Verification	Qualitative	IS 13273:2024 Cl. 6.2	Permanent
836	Stainless Steel Milk Cans	Capacity	1–100 L	IS 16440:2016	Permanent
837	Stainless Steel Milk Cans	Total Height (A)- Shape and Dimensions	100–1000 mm	IS 16440:2016	Permanent
838	Stainless Steel Milk Cans	Internal Height (B)- Shape and Dimensions	100–1000 mm	IS 16440:2016	Permanent
839	Stainless Steel Milk Cans	Internal Diameter (C)- Shape and Dimensions	50–500 mm	IS 16440:2016	Permanent
840	Stainless Steel Milk Cans	Neck Diameter (D)- Shape and Dimensions	50–300 mm	IS 16440:2016	Permanent
841	Stainless Steel Milk Cans	Base Diameter (E)- Shape and Dimensions	50–500 mm	IS 16440:2016	Permanent
842	Stainless Steel Milk Cans	Body Thickness- Shape and Dimensions	0.1–5 mm	IS 16440:2016 Cl.5.4	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **73** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
843	Stainless Steel Milk Cans	Bottom Thickness- Shape and Dimensions	0.1–5 mm	IS 16440:2016 Cl.5.4	Permanent
844	Stainless Steel Milk Cans	Neck Thickness- Shape and Dimensions	0.1–5 mm	IS 16440:2016 Cl.5.4	Permanent
845	Stainless Steel Milk Cans	Lid (Cup/Inner) Thickness- Shape and Dimensions	0.1–5 mm	IS 16440:2016 Cl.5.4	Permanent
846	Stainless Steel Milk Cans	Lid (Saucer/Outer) Thickness- Shape and Dimensions	0.1–5 mm	IS 16440:2016 Cl.5.4	Permanent
847	Stainless Steel Milk Cans	Mass of Can Body-Parts	0–20 kg	IS 16440:2016 Cl.5.5	Permanent
848	Stainless Steel Milk Cans	Mass of Lid-Parts	0–5 kg	IS 16440:2016 Cl.5.5	Permanent
849	Stainless Steel Milk Cans	Total Mass	0–25 kg	IS 16440:2016 Cl.5.5	Permanent
850	Stainless Steel Milk Cans	Surface Finish (Ra)	0.01–10 µm	IS 3073	Permanent
851	Stainless Steel Milk Cans	Radius of Curvature of Corners	0–100 mm	IS 16440:2016 Cl.5.6.6	Permanent
852	Stainless Steel Milk Cans	Pressure Leakage / Bulging Test	0–100 kPa	IS 16440:2016 Cl.6.1	Permanent
853	Stainless Steel Milk Cans	Drop Test	0–200 cm	IS 16440:2016 Cl.6.2	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **74** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
854	Stainless Steel Milk Cans	Dye Penetration Test of Welds	Qualitative	IS 3658	Permanent
855	Stainless Steel Milk Cans	Lid Leakage Test (Inverted Water Test)	Qualitative	IS 16440:2016 Cl.6.5	Permanent
856	Stainless Steel Milk Cans	Visual Examination of Weld Quality	Qualitative	IS 16440:2016 Cl.5.6.6	Permanent
857	Stainless Steel Milk Cans	Workmanship & Finish	Qualitative	IS 16440:2016	Permanent
858	Stainless Steel Milk Cans	Marking Verification	Qualitative	IS 16440:2016 Cl.7	Permanent
859	Forks	Overall Length (L)- Shape and Dimensions	50–300 mm	IS 16218:2014	Permanent
860	Forks	Prong Length (l)- Shape and Dimensions	10–100 mm	IS 16218:2014	Permanent
861	Forks	Neck Width (a)- Shape and Dimensions	1–100 mm	IS 16218:2014	Permanent
862	Forks	Neck Thickness (b)- Shape and Dimensions	0.5–20 mm	IS 16218:2014	Permanent
863	Forks	Handle Width (s)- Shape and Dimensions	1–100 mm	IS 16218:2014	Permanent
864	Forks	Prong Width (w)- Shape and Dimensions	1–100 mm	IS 16218:2014	Permanent
865	Forks	Visual Examination / Workmanship and Finish	Qualitative	IS 16218:2014 Cl.6.1	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **75** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
866	Forks	Alignment of Handle and Fork Cup	Qualitative	IS 16218:2014 Cl.6.1	Permanent
867	Forks	Surface Finish (Mirror Finish)	Qualitative	IS 16218:2014 Cl.6.2.1	Permanent
868	Forks	Silver Coating Thickness	1–100 µm	IS 1067	Permanent
869	Forks	Permanent Deflection after Bending Test	0–20 mm	IS 16218:2014 Cl.7.2	Permanent
870	Forks	Load Applied in Bending Test	0–5 kg	IS 16218:2014 Cl.7.2	Permanent
871	Forks	Air Tightness / Bubble Test	Qualitative	IS 16218:2014 Cl.7.3	Permanent
872	Forks	Resistance to Boiling Test	Qualitative	IS 16218:2014 Cl.7.4.1	Permanent
873	Forks	Resistance to Cracking after Boiling	Qualitative	IS 16218:2014 Cl.7.4.1	Permanent
874	Forks	Resistance to Discoloration after Boiling	Qualitative	IS 16218:2014 Cl.7.4.1	Permanent
875	Forks	Impact Resistance	0–2 m Drop Height	IS 16218:2014 Cl.7.4.2	Permanent
876	Forks	Resistance to Cracking after Impact	Qualitative	IS 16218:2014 Cl.7.4.2	Permanent
877	Forks	Resistance to Chipping after Impact	Qualitative	IS 16218:2014 Cl.7.4.2	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **76** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
878	Forks	Marking Verification	Qualitative	IS 16218:2014 Cl.9	Permanent
879	Spoons	Overall Length (A)	50–300 mm	IS 16286:2014	Permanent
880	Spoons	Cup Length (B)	10–100 mm	IS 16286:2014	Permanent
881	Spoons	Cup Width (C)	10–100 mm	IS 16286:2014	Permanent
882	Spoons	Cup Depth (h)	1–50 mm	IS 16286:2014	Permanent
883	Spoons	Handle Width (F)	1–100 mm	IS 16286:2014	Permanent
884	Spoons	Neck Height (H)	1–50 mm	IS 16286:2014	Permanent
885	Spoons	Cup Thickness (t)	0.1–5 mm	IS 16286:2014	Permanent
886	Spoons	Visual Examination / Workmanship	Qualitative	IS 16286:2014 Cl.5.1 & 5.2	Permanent
887	Spoons	Alignment of Handle and Bowl	Qualitative	IS 16286:2014 Cl.5.2	Permanent
888	Spoons	Surface Finish (Mirror Finish)	Qualitative	IS 16286:2014 Cl.5.3.1	Permanent
889	Wrought Aluminium & Aluminium Alloy Bars, Rods, Tubes, Sections, Plates & Sheets for Electrical Applications	Dimensions (Bar, Rod & Section)	0–1000 mm	IS 3965	Permanent
890	Wrought Aluminium & Aluminium Alloy	Dimensions (Extruded Tube)	0–1000 mm	IS 2673	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **77** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	Bars, Rods, Tubes, Sections, Plates & Sheets for Electrical Applications				
891	Wrought Aluminium & Aluminium Alloy Bars, Rods, Tubes, Sections, Plates & Sheets for Electrical Applications	Dimensions (Drawn Tube)	0-1000 mm	IS 2678	Permanent
892	Wrought Aluminium & Aluminium Alloy Bars, Rods, Tubes, Sections, Plates & Sheets for Electrical Applications	Dimensions (Hollow Section)	0-1000 mm	IS 6477	Permanent
893	Wrought Aluminium & Aluminium Alloy Bars, Rods, Tubes, Sections, Plates & Sheets for Electrical Applications	Dimensions (Rolled Sheet)	0-1000 mm	IS 2676	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **78** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
894	Wrought Aluminium & Aluminium Alloy Bars, Rods, Tubes, Sections, Plates & Sheets for Electrical Applications	Dimensions (Rolled Plate)	0-1000 mm	IS 2677	Permanent
895	Copper & Copper Alloy Forging Stock and Forgings	Forgeability Test	Compression up to 20 % reduction	IS 6912	Permanent
896	Copper & Copper Alloy Forging Stock and Forgings	Dimensions of Rods/Bars	0-1000 mm	IS 2826	Permanent
897	Copper & Copper Alloy Forging Stock and Forgings	Dimensions of Forgings	0-1000 mm	Drawing / Agreed Dimensions	Permanent
898	Brass Gravity Die Castings	Dimensions	0-1000 mm	Drawing / Vernier / Micrometer	Permanent
899	Brass Gravity Die Castings	Pressure Tightness Test	0-20 bar*	IS 1264	Permanent
900	Brass Gravity Die Castings	Freedom from Defects (Visual Examination)	Visual Inspection	IS 1264	Permanent
901	Stainless Steel Wire	Diameter Measurement (Round Wire)	0.05-16 mm	IS 6528	Permanent
902	Stainless Steel Wire	Out-of-Roundness	0-1 mm	IS 6528	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **79** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
903	Stainless Steel Wire	Size Across Flats (Square Wire)	3.15–25 mm	IS 6528	Permanent
904	Stainless Steel Wire	Size Across Flats (Hexagonal Wire)	3.15–25 mm	IS 6528	Permanent
905	Stainless Steel Wire	Size Across Flats (Octagonal Wire)	3.15–25 mm	IS 6528	Permanent
906	Stainless Steel Wire	Width of Flat Wire	1.5–100 mm	IS 6528	Permanent
907	Stainless Steel Wire	Thickness of Flat Wire	0.10–10 mm	IS 6528	Permanent
908	Stainless Steel Wire	Surface Defects Examination	Visual Inspection	IS 6528	Permanent
909	Stainless Steel Wire	Longitudinal Crack Depth	0–1 mm	IS 6528	Permanent
910	Stainless Steel Wire	Wire Diameter Verification for Tensile Property Classification	0.05–16 mm	IS 6528	Permanent
911	Stainless Steel Wire	Condition of Supply Verification (+A)	Visual / Documentation	IS 6528	Permanent
912	Stainless Steel Wire	Condition of Supply Verification (+AT)	Visual / Documentation	IS 6528	Permanent
913	Stainless Steel Wire	Condition of Supply Verification (+C)	Visual / Documentation	IS 6528	Permanent
914	Stainless Steel Wire	Heat Treatment Condition Verification	Visual / Documentation	IS 6528	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **80** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
915	Stainless Steel Wire	Straightened and Cut Length Verification	0–6000 mm	IS 6528	Permanent
916	Stainless Steel Wire	Coil Form Verification	Visual Inspection	IS 6528	Permanent
917	Stainless Steel Wire	Cross Section Perpendicularity	0–5°	IS 6528	Permanent
918	Stainless Steel Wire	Compliance with Dimensional Tolerances	0.05–16 mm	IS 6528	Permanent
919	Stainless Steel Seamless Pipes & Tubes	Outside Diameter (Pipe)	10.3–864 mm	IS 17875	Permanent
920	Stainless Steel Seamless Pipes & Tubes	Wall Thickness (Pipe)	1.2–25 mm	IS 17875	Permanent
921	Stainless Steel Seamless Pipes & Tubes	Ovality (Pipe)	0–10 mm	IS 17875	Permanent
922	Stainless Steel Seamless Pipes & Tubes	Outside Diameter (Tube)	3–356 mm	IS 17875	Permanent
923	Stainless Steel Seamless Pipes & Tubes	Wall Thickness (Tube)	0.4–25 mm	IS 17875	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **81** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
924	Stainless Steel Seamless Pipes & Tubes	Cut Length Verification	0-7000 mm	IS 17875	Permanent
925	Stainless Steel Seamless Pipes & Tubes	Straightness Verification	0-3000 mm	IS 17875	Permanent
926	Stainless Steel Seamless Pipes & Tubes	Surface Defects Examination	Visual Inspection	IS 17875	Permanent
927	Stainless Steel Seamless Pipes & Tubes	Flaring Test (Austenitic Tubes)	0-100 % Expansion	IS 17875	Permanent
928	Stainless Steel Seamless Pipes & Tubes	Flaring Test (Ferritic Tubes)	0-100 % Expansion	IS 17875	Permanent
929	Stainless Steel Seamless Pipes & Tubes	Flaring Test (Martensitic Tubes)	0-100 % Expansion	IS 17875	Permanent
930	Stainless Steel Seamless Pipes & Tubes	Flaring Test (Duplex Tubes)	0-100 % Expansion	IS 17875	Permanent
931	Stainless Steel Seamless Pipes & Tubes	Flattening Test (Austenitic Pipes/Tubes)	Functional Test	IS 2328	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **82** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
932	Stainless Steel Seamless Pipes & Tubes	Flattening Test (Ferritic Pipes/Tubes)	Functional Test	IS 2328	Permanent
933	Stainless Steel Seamless Pipes & Tubes	Flattening Test (Martensitic Pipes/Tubes)	Functional Test	IS 2328	Permanent
934	Stainless Steel Seamless Pipes & Tubes	Flattening Test (Duplex Pipes/Tubes)	Functional Test	IS 2328	Permanent
935	Stainless Steel Seamless Pipes & Tubes	Grain Size Determination	ASTM Grain No. 1-10	IS 4748	Permanent
936	Stainless Steel Seamless Pipes & Tubes	Grain Size Verification for 304H	ASTM Grain No. 1-10	IS 4748	Permanent
937	Stainless Steel Seamless Pipes & Tubes	Grain Size Verification for 309H	ASTM Grain No. 1-10	IS 4748	Permanent
938	Stainless Steel Seamless Pipes & Tubes	Grain Size Verification for 310H	ASTM Grain No. 1-10	IS 4748	Permanent
939	Stainless Steel Seamless Pipes & Tubes	Grain Size Verification for 316H	ASTM Grain No. 1-10	IS 4748	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **83** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
940	Stainless Steel Seamless Pipes & Tubes	Grain Size Verification for 321H	ASTM Grain No. 1-10	IS 4748	Permanent
941	Stainless Steel Seamless Pipes & Tubes	Grain Size Verification for 347H	ASTM Grain No. 1-10	IS 4748	Permanent
942	Stainless Steel Seamless Pipes & Tubes	Grain Size Verification for 348H	ASTM Grain No. 1-10	IS 4748	Permanent
943	Stainless Steel Seamless Pipes & Tubes	Hydrostatic Test Pressure	0-100 MPa	IS 17875	Permanent
944	Stainless Steel Seamless Pipes & Tubes	Hydrostatic Leak Tightness	Functional Test	IS 17875	Permanent
945	Stainless Steel Seamless Pipes & Tubes	Pneumatic Leak Tightness Test (Alternative)	0-10 MPa	IS 17875	Permanent
946	Stainless Steel Seamless Pipes & Tubes	Heat Treatment Verification	Temperature Verification	IS 17875	Permanent
947	Stainless Steel Seamless Pipes & Tubes	Squareness of Pipe Ends	0-5°	IS 17875	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **84** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
948	Stainless Steel Seamless Pipes & Tubes	Length Tolerance Verification	0-7000 mm	IS 17875	Permanent
949	Stainless Steel Seamless Pipes & Tubes	Mass per Unit Length Verification	0.1-100 kg/m	IS 17875	Permanent
950	Stainless Steel Seamless Pipes & Tubes	Wall Thickness Tolerance Verification	0.4-25 mm	IS 17875	Permanent
951	Stainless Steel Seamless Pipes & Tubes	Outside Diameter Tolerance Verification	3-864 mm	IS 17875	Permanent
952	Stainless Steel Seamless Pipes & Tubes	Straightness Tolerance Verification	0-3000 mm	IS 17875	Permanent
953	Stainless Steel Seamless Pipes & Tubes	Ovality Tolerance Verification	0-10 mm	IS 17875	Permanent
954	Stainless Steel Plate, Sheet & Strip	Thickness Measurement	0.10-150 mm	IS 6911	Permanent
955	Stainless Steel Plate, Sheet & Strip	Width Measurement	10-3000 mm	IS 6911	Permanent
956	Stainless Steel Plate, Sheet & Strip	Length Measurement	10-12000 mm	IS 6911	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **85** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
957	Stainless Steel Plate, Sheet & Strip	Thickness Tolerance Verification	0.10–150 mm	IS 6911	Permanent
958	Stainless Steel Plate, Sheet & Strip	Width Tolerance Verification	10–3000 mm	IS 6911	Permanent
959	Stainless Steel Plate, Sheet & Strip	Length Tolerance Verification	10–12000 mm	IS 6911	Permanent
960	Stainless Steel Plate, Sheet & Strip	Flatness Verification	0–50 mm/m	IS 6911	Permanent
961	Stainless Steel Plate, Sheet & Strip	Edge Camber Measurement	0–50 mm/m	IS 6911	Permanent
962	Stainless Steel Plate, Sheet & Strip	Squareness of Cut Length Sheets	0–10 mm	IS 6911	Permanent
963	Wrought & Cast Aluminium Utensils	Stainless Steel Lid Thickness	0–5 mm	IS 1660	Permanent
964	Wrought & Cast Aluminium Utensils	Tempered Glass Lid Thickness	0–10 mm	IS 1660	Permanent
965	Wrought & Cast Aluminium Utensils	Stainless Steel Rim Thickness	0–5 mm	IS 1660	Permanent
966	Wrought & Cast Aluminium Utensils	Thickness Reduction after Pressing	0–30 %	IS 1660	Permanent
967	Wrought & Cast Aluminium Utensils	Thickness Reduction after Spinning	0–30 %	IS 1660	Permanent
968	Wrought & Cast Aluminium Utensils	Thick Bottom Utensil Bottom Thickness	0–10 mm	IS 1660	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **86** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
969	Wrought & Cast Aluminium Utensils	Thick Bottom Utensil Wall Thickness	0–10 mm	IS 1660	Permanent
970	Wrought & Cast Aluminium Utensils	Thick Bottom Utensil Cover Thickness	0–10 mm	IS 1660	Permanent
971	Wrought & Cast Aluminium Utensils	Leakage at Welded Joints	Functional Test	IS 1660	Permanent
972	Wrought & Cast Aluminium Utensils	Compartmental Tray Dimensions	0–1000 mm	IS 1660	Permanent
973	Wrought & Cast Aluminium Utensils	Compartmental Tray Thickness Reduction	0–10 %	IS 1660	Permanent
974	Wrought & Cast Aluminium Utensils	Lunch Box Thickness Reduction	0–10 %	IS 1660	Permanent
975	Wrought & Cast Aluminium Utensils	Diameter of Utensils	50–1250 mm	IS 1660	Permanent
976	Wrought & Cast Aluminium Utensils	Height of Utensils	0–1000 mm	IS 1660	Permanent
977	Wrought & Cast Aluminium Utensils	Nominal Capacity Verification	0–30 L	IS 1660	Permanent
978	Wrought & Cast Aluminium Utensils	Minimum Sheet Thickness Verification	0.50–5.00 mm	IS 1660	Permanent
979	Wrought & Cast Aluminium Utensils	Handle Strength Test	0–100 kg	IS 1660	Permanent
980	Wrought & Cast Aluminium Utensils	Hard Anodized Colour & Appearance	Visual Inspection	IS 6057	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **87** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
981	Wrought & Cast Aluminium Utensils	Vent Hole Provision in Lid	Visual Inspection	IS 1660	Permanent
982	Wrought & Cast Aluminium Utensils	External Coating Thermal Shock Test	Ambient-220 °C	IS 1660	Permanent
983	Wrought & Cast Aluminium Utensils	Toxic Metal Content in Coating	0.001-1.0 %	IS 1660	Permanent
984	Wrought & Cast Aluminium Utensils	Induction Base Material Verification	Visual / Documentation	IS 1660	Permanent
985	Wrought & Cast Aluminium Utensils	Induction Compatible Base Test	Functional Test	IS 1660 Annex B	Permanent
986	Wrought & Cast Aluminium Utensils	Lunch Box Clip Endurance Test (2000 Cycles)	0-2000 Cycles	IS 1660	Permanent
987	Wrought & Cast Aluminium Utensils	Lunch Box Groundnut Oil Leakage Test	Functional Test	IS 1660	Permanent
988	Wrought & Cast Aluminium Utensils	Tempered Glass Lid Fragmentation Test	Particle Count	IS 1660	Permanent
989	Wrought & Cast Aluminium Utensils	Tempered Glass Lid Ball Drop Test	225 g Ball, 1000 mm Height	IS 1660	Permanent
990	Wrought & Cast Aluminium Utensils	Tempered Glass Lid Thermal Shock Test	120 °C ± 5 °C	IS 1660	Permanent
991	Wrought & Cast Aluminium Utensils	Tempered Glass Lid Free Fall Test with Rim	900 mm Drop Height	IS 1660	Permanent
992	Wrought & Cast Aluminium Utensils	Tempered Glass Lid Free Fall Test without Rim	900 mm Drop Height	IS 1660	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **88** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
993	Wrought & Cast Aluminium Utensils	Cast Utensil Surface Defects (Cracks, Blow Holes, Blisters, Short Fill etc.)	Visual Inspection	IS 1660	Permanent
994	Wrought & Cast Aluminium Utensils	Forged Utensil Surface Defects (Cold Shut, Pits, Cracks, Die Shift etc.)	Visual Inspection	IS 1660	Permanent
995	Wrought & Cast Aluminium Utensils	Workmanship & Finish Verification	Visual Inspection	IS 1660	Permanent
996	Wrought & Cast Aluminium Utensils	Actual Capacity Determination	0-30 L	IS 1660	Permanent
997	Wrought & Cast Aluminium Utensils	Nominal Capacity Verification	0-30 L	IS 1660	Permanent
998	Wrought & Cast Aluminium Utensils	Capacity Tolerance Verification	0-30 L	IS 1660	Permanent
999	Wrought & Cast Aluminium Utensils	Internal Diameter Verification	50-1250 mm	IS 1660	Permanent
1000	Wrought & Cast Aluminium Utensils	External Diameter Verification	50-1250 mm	IS 1660	Permanent
1001	Wrought & Cast Aluminium Utensils	Depth Verification	0-1000 mm	IS 1660	Permanent
1002	Wrought & Cast Aluminium Utensils	Base Flatness Verification	0-10 mm	IS 1660	Permanent
1003	Wrought & Cast Aluminium Utensils	Rim Straightness Verification	0-10 mm	IS 1660	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **89** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1004	Wrought & Cast Aluminium Utensils	Circularity Verification	0–10 mm	IS 1660	Permanent
1005	Wrought & Cast Aluminium Utensils	Induction Bottom Thickness	0–10 mm	IS 1660 Annex B	Permanent
1006	Wrought & Cast Aluminium Utensils	Stainless Steel Disc Diameter	0–500 mm	IS 1660 Annex B	Permanent
1007	Wrought & Cast Aluminium Utensils	Warpage after Heating Test	0–10 mm	IS 1660 Annex B	Permanent
1008	Wrought Aluminium & Aluminium Alloy Sheet/Strip	Thickness Measurement	0.15–6.0 mm	IS 2676	Permanent
1009	Wrought Aluminium & Aluminium Alloy Sheet/Strip	Width Measurement	10–3000 mm	IS 2676	Permanent
1010	Wrought Aluminium & Aluminium Alloy Sheet/Strip	Length Measurement	10–12000 mm	IS 2676	Permanent
1011	Wrought Aluminium & Aluminium Alloy Sheet/Strip	Dimensional Tolerance Verification	As per Standard	IS 2676	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **90** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1012	Aluminium & Aluminium Alloy Castings	Dimensional Verification	0–3000 mm	IS 617	Permanent
1013	Aluminium & Aluminium Alloy Castings	Casting Weight Verification	0.01–500 kg	IS 617	Permanent
1014	Aluminium & Aluminium Alloy Castings	Hydraulic Pressure Test	0–100 bar	IS 617	Permanent
1015	Aluminium & Aluminium Alloy Rivet Stock	Diameter of Rivet Stock	1–25 mm	IS 257-1967	Permanent
1016	Aluminium & Aluminium Alloy Rivet Stock	Diameter Tolerance Verification	1–25 mm	IS 257-1967	Permanent
1017	Tri-Ply (SS-AL-SS) Material	T-Peel Strength — SS304/Al Interface	0–100 N/mm	IS 18755	Permanent
1018	Tri-Ply (SS-AL-SS) Material	T-Peel Strength — SS430/Al Interface	0–100 N/mm	IS 18755	Permanent
1019	Tri-Ply (SS-AL-SS) Material	Peel Specimen Width	0–50 mm	IS 18755	Permanent
1020	Tri-Ply (SS-AL-SS) Material	Peel Specimen Length	0–300 mm	IS 18755	Permanent
1021	Tri-Ply (SS-AL-SS) Material	Average Peel Force Determination	0–5000 N	IS 18755	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **91** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1022	Tri-Ply (SS-AL-SS) Material	Thermal Cycling Test (50 Cycles)	Ambient–260°C	IS 18755	Permanent
1023	Tri-Ply (SS-AL-SS) Material	Thermal Adhesion Characteristic Verification	Pass/Fail	IS 18755	Permanent
1024	Tri-Ply (SS-AL-SS) Material	Peel Strength After Thermal Cycling	0–100 N/mm	IS 18755	Permanent
1025	Tri-Ply (SS-AL-SS) Material	Overall Tri-Ply Thickness	2.5–4.0 mm	IS 18755	Permanent
1026	Tri-Ply (SS-AL-SS) Material	Top Stainless Steel Layer Thickness (t_1)	0–2 mm	IS 18755	Permanent
1027	Tri-Ply (SS-AL-SS) Material	Aluminium Core Thickness (t_2)	0–5 mm	IS 18755	Permanent
1028	Tri-Ply (SS-AL-SS) Material	Bottom Stainless Steel Layer Thickness (t_3)	0–2 mm	IS 18755	Permanent
1029	Tri-Ply (SS-AL-SS) Material	Total Thickness Tolerance Verification (± 0.15 mm)	0–10 mm	IS 18755	Permanent
1030	Tri-Ply (SS-AL-SS) Material	Circle Diameter	50–1000 mm	IS 18755	Permanent
1031	Tri-Ply (SS-AL-SS) Material	Diameter Tolerance Verification (± 1 mm)	50–1000 mm	IS 18755	Permanent
1032	Tri-Ply (SS-AL-SS) Material	Flatness Verification	As Agreed	IS 18755	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **92** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1033	Free Cutting Brass Bars, Rods & Sections	Diameter Verification	6–100 mm	IS 2826	Permanent
1034	Free Cutting Brass Bars, Rods & Sections	Width Across Flats Verification	6–100 mm	IS 2826	Permanent
1035	Free Cutting Brass Bars, Rods & Sections	Dimensional Tolerance Verification	As Specified	IS 2826	Permanent
1036	Stainless Steel Sheets & Strips for Utensils	Thickness	0.20–4.0 mm	IS 5522	Permanent
1037	Stainless Steel Sheets & Strips for Utensils	Width	10–2000 mm	IS 5522	Permanent
1038	Stainless Steel Sheets & Strips for Utensils	Length	100–4000 mm	IS 5522	Permanent
1039	Stainless Steel Sheets & Strips for Utensils	Flatness	0–20 mm	IS 5522	Permanent
1040	Stainless Steel Sheets & Strips for Utensils	Camber	0–5 mm	IS 5522	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **93** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1041	Low Nickel Austenitic Stainless Steel Sheets & Strips	Thickness	0.20–4.00 mm	IS 15997	Permanent
1042	Low Nickel Austenitic Stainless Steel Sheets & Strips	Width	10–1500 mm	IS 15997	Permanent
1043	Low Nickel Austenitic Stainless Steel Sheets & Strips	Length	100–4000 mm	IS 15997	Permanent
1044	Low Nickel Austenitic Stainless Steel Sheets & Strips	Thickness Tolerance Verification	0.20–4.00 mm	IS 15997	Permanent
1045	Low Nickel Austenitic Stainless Steel Sheets & Strips	Width Tolerance Verification	10–1500 mm	IS 15997	Permanent
1046	Low Nickel Austenitic Stainless Steel Sheets & Strips	Length Tolerance Verification	100–4000 mm	IS 15997	Permanent
1047	Low Nickel Austenitic Stainless	Flatness	0–20 mm	IS 15997	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **94** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	Steel Sheets & Strips				
1048	Low Nickel Austenitic Stainless Steel Sheets & Strips	Camber	0–7 mm	IS 15997	Permanent
1049	Knives (Table, Dessert, Fruit, Fish, Steak, Bread & Butter, Vegetable, Cheese, Pocket, Bread, Carving, Cook's, Butcher's, Meat Chopper)	Overall Length (L)	50–500 mm	IS 16301	Permanent
1050	Knives (Table, Dessert, Fruit, Fish, Steak, Bread & Butter, Vegetable, Cheese, Pocket, Bread, Carving, Cook's, Butcher's, Meat Chopper)	Blade Length (l)	20–300 mm	IS 16301	Permanent
1051	Knives (Table, Dessert, Fruit, Fish, Steak, Bread & Butter, Vegetable,	Blade Width (W)	5–100 mm	IS 16301	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **95** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	Cheese, Pocket, Bread, Carving, Cook's, Butcher's, Meat Chopper)				
1052	Knives (Table, Dessert, Fruit, Fish, Steak, Bread & Butter, Vegetable, Cheese, Pocket, Bread, Carving, Cook's, Butcher's, Meat Chopper)	Blade Thickness (t)	0.5–10 mm	IS 16301	Permanent
1053	Knives (Table, Dessert, Fruit, Fish, Steak, Bread & Butter, Vegetable, Cheese, Pocket, Bread, Carving, Cook's, Butcher's, Meat Chopper)	Bolster Thickness (T)	1–50 mm	IS 16301	Permanent
1054	Knives (Table, Dessert, Fruit, Fish, Steak, Bread & Butter, Vegetable, Cheese, Pocket, Bread, Carving,	Bolster Width (w)	1–100 mm	IS 16301	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **96** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	Cook's, Butcher's, Meat Chopper)				
1055	Knives (Table, Dessert, Fruit, Fish, Steak, Bread & Butter, Vegetable, Cheese, Pocket, Bread, Carving, Cook's, Butcher's, Meat Chopper)	Dimensional Tolerance Verification	As Specified	IS 16301	Permanent
1056	Wrought Aluminium & Aluminium Alloy Bars, Rods, Tubes, Sections, Plates & Sheets for Electrical Applications	Bend Test	90° Bend	IS 5082	Permanent
1057	Spoons	Bend Test (Cracking / Breakage)	Qualitative	IS 16286:2014 Cl.6.2	Permanent
1058	Spoons	Load Applied during Load Test	0-50 N	IS 16286:2014 Cl.6.3	Permanent
1059	Spoons	Permanent Set after Load Test	0-10 mm	IS 16286:2014 Cl.6.3	Permanent
1060	Spoons	Resistance to Boiling Test	Qualitative	IS 16286:2014 Cl.6.4.1	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **97** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1061	Spoons	Resistance to Cracking after Boiling	Qualitative	IS 16286:2014 Cl.6.4.1	Permanent
1062	Spoons	Resistance to Chipping after Boiling	Qualitative	IS 16286:2014 Cl.6.4.1	Permanent
1063	Spoons	Resistance to Discolouration after Boiling	Qualitative	IS 16286:2014 Cl.6.4.1	Permanent
1064	Spoons	Impact Resistance	0-2 m	IS 16286:2014 Cl.6.4.2	Permanent
1065	Spoons	Resistance to Cracking after Impact	Qualitative	IS 16286:2014 Cl.6.4.2	Permanent
1066	Spoons	Resistance to Breaking after Impact	Qualitative	IS 16286:2014 Cl.6.4.2	Permanent
1067	Spoons	Resistance to Chipping after Impact	Qualitative	IS 16286:2014 Cl.6.4.2	Permanent
1068	Tinplate for Three Piece Metal Cans	Surface Roughness (Ra)	0.05 µm to 5.0 µm	IS 1993	Permanent
ELECTRICAL- Domestic Electrical Appliances					
1069	Household and	General Requirements	Qualitative	IS 302 (Part-1)	Permanent
1070	Similar Electrical	General Conditions of the test	Qualitative	IS 302 (Part-1)	Permanent
1071	Appliances- Safety	Classification	Qualitative	IS 302 (Part-1)	Permanent
1072		Marking and Instructions	Qualitative	IS 302 (Part-1)	Permanent



Certificate



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **98** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1073		Protection Against Access to live parts	Qualitative	IS 302 (Part-1)	Permanent
1074		Starting of Motor operated Appliances	Qualitative	IS 302 (Part-1)	Permanent
1075		Power Input and current	100 W to 4000 W	IS 302 (Part-1)	Permanent
1076		Heating	1°C to 199.9°C	IS 302 (Part-1)	Permanent
1077		Charging of Metal-Ion batteries	Qualitative	IS 302 (Part-1)	Permanent
1078		Leakage Current and Electric Strength at operating temperature	0 mA to 250 mA	IS 302 (Part-1)	Permanent
1079		Transient overvoltages	Qualitative	IS 302 (Part-1)	Permanent
1080		Leakage Current and Electric Strength	0 mA to 250 mA	IS 302 (Part-1)	Permanent
1081		Overload Protection of transformers and associated circuits	Qualitative	IS 302 (Part-1)	Permanent
1082		Endurance	Qualitative	IS 302 (Part-1)	Permanent
1083		Abnormal Operation	10 V to 1000 V	IS 302 (Part-1)	Permanent
1084		Stability and Mechanical Hazards	Qualitative	IS 302 (Part-1)	Permanent
1085		Mechanical Strength	Qualitative	IS 302 (Part-1)	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **99** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1086		Construction	Qualitative	IS 302 (Part-1)	Permanent
1087		Internal Wiring	Qualitative	IS 302 (Part-1)	Permanent
1088		Components	Qualitative	IS 302 (Part-1)	Permanent
1089		Supply Connection and external Flexible cords	Qualitative	IS 302 (Part-1)	Permanent
1090		Terminals for external Conductors	Qualitative	IS 302 (Part-1)	Permanent
1091		Provision for Earthing	Qualitative	IS 302 (Part-1)	Permanent
1092		Screws and connections	Qualitative	IS 302 (Part-1)	Permanent
1093		Clearances, Creepage distances and solid insulation	Qualitative	IS 302 (Part-1)	Permanent
1094		Resistance to heat and Fire	Qualitative	IS 302 (Part-1)	Permanent
1095		Resistance to Rusting	Qualitative	IS 302 (Part-1)	Permanent
1096		Radiation, Toxicity and similar hazards	Qualitative	IS 302 (Part-1)	Permanent
1097	Electric Ceiling Type Fans	Earth Continuity Test	Qualitative	IS 302 (Part-1)	Permanent
1098		Electrical Strength Test	Qualitative	IS 302 (Part-1)	Permanent
1099		Functional Test	Qualitative	IS 302 (Part-1)	Permanent
1100		Simple Running Test	Qualitative	IS 374	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **100** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1101		Stampings	Qualitative	IS 648	Permanent
1102		Blades	Qualitative	IS 374	Permanent
1103		Enclosure	Qualitative	IS 374	Permanent
1104		Bearings	Qualitative	IS 374	Permanent
1105		Brushless DC Motor	Qualitative	IS 374	Permanent
1106		Test for Air Performance	Qualitative	IS 374	Permanent
1107		Performance Requirement	Qualitative	IS 374	Permanent
1108		Measurement of Speed of Fan	Qualitative	IS 374	Permanent
1109		Measurement of Power Factor	Qualitative	IS 374	Permanent
1110		Speed Regulators	Qualitative	IS 374	Permanent
1111		Speed Regulators	Qualitative	IS 11037 & IS 14700 (P-3/Sec 2)	Permanent
1112		Starting	Qualitative	IS 374	Permanent
1113		Interchangeability	Qualitative	IS 374	Permanent
1114		Silent Operation	Qualitative	IS 374	Permanent
1115		Test for Harmonic Distortion	Qualitative	IS 374	Permanent
1116		Heating	Qualitative	Clause 11 of IS 302-2-80	Permanent
1117		Endurance Test	Qualitative	IS 374	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **101** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1118		Protection Against access to live Parts	Qualitative	Clause 8 of IS 302-2-80	Permanent
1119		Heating	Qualitative	Clause 11 of IS 302-2-80	Permanent
1120		Leakage Current & Electric Strength at Operating Temperature	0 mA to 250 mA	Clause 13 of IS 302-2-80	Permanent
1121		Transient Over Voltage	Qualitative	Clause 14 of IS 302-2-80	Permanent
1122		Moisture Resistance	Qualitative	Clause 15 of IS 302-2-80	Permanent
1123		Leakage Current & Electric Strength	0 mA to 250 mA	Clause 16 of IS 302-2-80	Permanent
1124		Overload Protection of Transformers and Associated Circuits	Qualitative	Clause 17 of IS 302-2-80	Permanent
1125		Abnormal Operation	Qualitative	Clause 19 of IS 302-2-80	Permanent
1126		Stability & Mechanical Hazards	Qualitative	Clause 20 of IS 302-2-80	Permanent
1127		Mechanical Strength	Qualitative	Clause 21 of IS 302-2-80	Permanent
1128		Construction	Qualitative	Clause 22 of IS 302-2-80	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **102** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1129		Internal Wiring	Qualitative	Clause 23 of IS 302-2-80	Permanent
1130		Components	Qualitative	Clause 24 of IS 302-2-80	Permanent
1131		Supply Connection & External Flexible Cords	Qualitative	Clause 25 of IS 302-2-80	Permanent
1132		Terminals for External Conductors	Qualitative	Clause 26 of IS 302-2-80	Permanent
1133		Provision for Earthing	Qualitative	Clause 27 of IS 302-2-80	Permanent
1134		Screws and Connections	Qualitative	Clause 28 of IS 302-2-80	Permanent
1135		Clearances, Creepage Distances & Solid Insulation	Qualitative	Clause 29 of IS 302-2-80	Permanent
1136		Resistance to Heat and Fire	Qualitative	Clause 30 of IS 302-2-80	Permanent
1137		Resistance to Rusting	Qualitative	Clause 31 of IS 302-2-80	Permanent
1138		Radiation, Toxicity, & Similar Hazards	Qualitative	Clause 32 of IS 302-2-80	Permanent
1139	Safety of Household and	Abnormal Operation	Qualitative	IS 302 (Part-1)	Permanent
1140		Abnormal Operation	Qualitative	IS 302 (Part 2, Sec 30)	Permanent
1141		Abnormal Operation	Qualitative	IS 302 (Part-1)	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **103** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1142	Similar Electrical Appliances	Classification	Qualitative	IS 302 (Part 2, Sec 30)	Permanent
1143		Classification and Rating	Qualitative	IS 302 (Part-1)	Permanent
1144		Clearance, Creepage distance & solid Insulation	Qualitative :0.01 mm to 200 mm	IS 302 (Part 2, Sec 30)	Permanent
1145		Clearance, Creepage distances and Solid Insulation	Qualitative 0.01mm to 200 mm	IS 302 (Part-1)	Permanent
1146		Components	Qualitative	IS 302 (Part-1)	Permanent
1147		Components	Qualitative	IS 302 (Part 2, Sec 30)	Permanent
1148		Construction	Qualitative	IS 302 (Part-1)	Permanent
1149		Construction	Qualitative	IS 302 (Part 2, Sec 30)	Permanent
1150		Internal Wiring	Qualitative	IS 302 (Part 2, Sec 30)	Permanent
1151		Leakage Current and Electric Strength	0 mA to 250 mA	IS 302 (Part-1)	Permanent
1152		Leakage Current and Electric Strength at operating temperature	0 mA to 250 mA	IS 302 (Part-1)	Permanent
1153		Marking and Instructions	Qualitative	IS 302 (Part-1)	Permanent
1154		Marking and Instructions	Qualitative	IS 302 (Part 2, Sec 30)	Permanent
1155		Mechanical Strength	Qualitative	IS 302 (Part-1)	Permanent
1156		Mechanical strength	Qualitative	IS 302 Part 2, Sec 30	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **104** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1157		Moisture Resistance	Qualitative	IS 302 (Part-1)	Permanent
1158		Overload Protection of transformers and associated circuits	Qualitative	IS 302 (Part-1)	Permanent
1159		Power Input and Current	100 W to 4000 W	IS 302 (Part-1)	Permanent
1160		Protection Against Access to Live Parts	Qualitative	IS 302 (Part-1)	Permanent
1161		Protection against Access to live Parts	Qualitative	IS 302 (Part 2, Sec 30)	Permanent
1162		Provision for Earthing	Qualitative	IS 302 (Part-1)	Permanent
1163		Radiation, Toxicity and similar Hazard	Qualitative	IS 302 (Part-1)	Permanent
1164		Resistance to Heat and Fire	0.01 mm to 200 mm	IS 302 (Part 2, Sec 30)	Permanent
1165		Resistance to Heat, Fire	Qualitative :0-60s/1-25A/1-1200°C	IS 302 (Part-1)	Permanent
1166		Resistance to Heat, Fire	Qualitative	IS 302-2-3	Permanent
1167		Resistance to Rusting	Qualitative	IS 302 (Part-1)	Permanent
1168		Screws & Connections	Qualitative	IS 302 (Part-1)	Permanent
1169		Stability and Mechanical Hazards	Qualitative	IS 302 (Part-1)	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **105** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1170		Stability and mechanical hazards	Qualitative	IS 302 (Part 2, Sec 30)	Permanent
1171		Supply connection & Electrical flexible cord	Qualitative :0.01 mm to 25 mm 30 N to 100 N 2 Nm to 10 Nm	IS 302 (Part 2, Sec 30)	Permanent
1172		Supply Connection & Electrical flexible cords	Qualitative	IS 302 (Part-1)	Permanent
1173		Supply Connection and electrical flexible cords	Qualitative	IS 302 (Part-1)	Permanent
1174		Temperature rise or Heating	1 °C to 199.9 °C	IS 302 (Part-1)	Permanent
1175		Test for General Requirement	Qualitative	IS 302 (Part-1)	Permanent
1176		Test for Starting of motor operated appliances	Qualitative	IS 302 (Part-1)	Permanent
1177		Test for Terminals for External Conductors	Qualitative	IS 302 (Part-1)	Permanent
1178		Transient Over Voltage	Qualitative	IS 302 (Part-1)	Permanent
1179	Safety of Household and	Protection against access to live parts	Qualitative	IS 302-2-31	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **106** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1180	Similar Electrical Appliances - Range Hoods	Heating	Qualitative	IS 302-2-31	Permanent
1181		Construction	Qualitative	IS 302-2-31	Permanent
1182		Resistance to Heat and Fire	Qualitative	IS 302-2-31	Permanent
1183	Safety of Household and	Protection Against Electric Shock	Qualitative	IS 302 (Part-1)	Permanent
1184	Similar Electrical Appliances (Domestic Electric Food mixtures & Pressure Cookers)	Protection Against Access to Live Parts	Qualitative	IS 302 (Part-1)	Permanent
1185		Leakage Current and Electric Strength at Operating Temperature	0 mA to 250 mA	IS 302 (Part-1)	Permanent
1186		Transient Overvoltage	Qualitative	IS 302 (Part-1)	Permanent
1187		Moisture Resistance	Qualitative	IS 302 (Part-1)	Permanent
1188		Leakage Current and Electric Strength	0 mA to 250 mA	IS 302 (Part-1)	Permanent
1189		Overload Protection of Transformers and Associated Circuits	Qualitative	IS 302 (Part-1)	Permanent
1190		Endurance	Qualitative	IS 302 (Part-1)	Permanent
1191		Abnormal Operation	Qualitative	IS 302 (Part-1)	Permanent
1192		Stability and Mechanical Hazards	Qualitative	IS 302 (Part-1)	Permanent
1193		Mechanical Strength	Qualitative	IS 302 (Part-1)	Permanent
1194		Construction	Qualitative	IS 302 (Part-1)	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **107** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1195		Internal Wiring	Qualitative	IS 302 (Part-1)	Permanent
1196		Components	Qualitative	IS 302 (Part-1)	Permanent
1197		Supply Connection and External Flexible Cords	Qualitative	IS 302 (Part-1)	Permanent
		Terminals for External Conductors	Qualitative	IS 302 (Part-1)	Permanent
1198		Provision for Earthing	Qualitative	IS 302 (Part-1)	Permanent
1199		Screws and Connections	Qualitative	IS 302 (Part-1)	Permanent
1200		Clearances, Creepage Distances and Solid Insulation	Qualitative	IS 302 (Part-1)	Permanent
1201		Resistance to heat and Fire	Qualitative	IS 302 (Part-1)	Permanent
1202		Resistance to Rusting	Qualitative	IS 302 (Part-1)	Permanent
1203		Radiation Toxicity and Similar Hazards	Qualitative	IS 302 (Part-1)	Permanent
1204		Simple Running Test	Qualitative	IS 302 (Part-1)	Permanent
1205		Leakage Current at Operating Temperature	Qualitative	IS 302 (Part-1)	Permanent
1206		Insulation Resistance and Electric Strength	Qualitative	IS 302 (Part-1)	Permanent
1207					



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **108** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1208		Power Input and Current	Qualitative	IS 302 (Part-1)	Permanent
1209		Temperature Rise or Heating	Qualitative	IS 302 (Part-1)	Permanent
1210		General Requirements	Qualitative	IS 302 (Part-1)	Permanent
1211		Classification	Qualitative	IS 302 (Part-1)	Permanent
1212		General Requirements	Qualitative	Clause 4 of IS 302-2-15	Permanent
1213		Heating	Qualitative	Clause 11 of IS 302-2-15	Permanent
1214		Overload Protection of Transformers and Associated Circuits	Qualitative	Clause 15 of IS 302-2-15	Permanent
1215		Abnormal Operation	Qualitative	Clause 19 of IS 302-2-15	Permanent
1216		Mechanical Strength	Qualitative	Clause 21 of IS 302-2-15	Permanent
1217		Construction	Qualitative	Clause 22 of IS 302-2-15	Permanent
1218		Components	Qualitative	Clause 24 of IS 302-2-15	Permanent
1219		Supply Connection and External Flexible Cords	Qualitative	Clause 25 of IS 302-2-15	Permanent
1220		Clearances, Creepage Distances and Solid Insulation	Qualitative	Clause 29 of IS 302-2-15	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **109** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1221		Resistance to heat and Fire	Qualitative	Clause 30 of IS 302-2- 15	Permanent
1222	Direct Evaporative Air Cooler	Air Delivery (Air Flow)	100–6000 CMH	IS 3315:2024 Cl. 8.3	Permanent
1223	Direct Evaporative Air Cooler	Cooling Efficiency	0–100 %	IS 3315:2024 Cl. 8.4	Permanent
1224	Direct Evaporative Air Cooler	Power Consumption	0–5000 W	IS 3315:2024 Cl. 8.5	Permanent
1225	Direct Evaporative Air Cooler	Energy Efficiency Ratio (EER)	1–50	IS 3315:2024 Cl. 8.6	Permanent
1226	Direct Evaporative Air Cooler	Sump Tank Capacity	1–200 L	IS 3315:2024 Cl. 5.3	Permanent
1227	Direct Evaporative Air Cooler	Sump Capacity Tolerance Verification	1–200 L	IS 3315:2024 Cl. 5.3.3	Permanent
1228	Direct Evaporative Air Cooler	Static Pressure Difference	0–500 mmWC	IS 3315:2024 Cl. 7.6	Permanent
1229	Direct Evaporative Air Cooler	Power Factor	0–1	IS 3315:2024 Cl. 8.1(c)	Permanent
1230	Direct Evaporative Air Cooler	Drop Test	20–80 cm	IS 3315:2024 Cl. 8.7	Permanent
1231	Direct Evaporative Air Cooler	Blower/Fan High RPM Reliability Test	Up to 5000 RPM	IS 3315:2024 Cl. 8.8(a)	Permanent
1232	Direct Evaporative Air Cooler	Blower/Fan Endurance Test	0–10000 Cycles	IS 3315:2024 Cl. 8.8(b)	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **110** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1233	Direct Evaporative Air Cooler	Blower/Fan Creep Test	Ambient-55 °C	IS 3315:2024 Cl. 8.8(c)	Permanent
1234	Direct Evaporative Air Cooler	Salt Spray Corrosion Resistance	0-500 h	IS 9844	Permanent
1235	Direct Evaporative Air Cooler	General Running Test	Qualitative	IS 3315:2024 Cl. 12.2.1	Permanent
1236	Direct Evaporative Air Cooler	Protection Against Electric Shock	Qualitative	IS 302 (Part 1)	Permanent
1237	Direct Evaporative Air Cooler	High Voltage Test	0-5 kV	IS 302 (Part 1)	Permanent
1238	Direct Evaporative Air Cooler	Leakage Current	0-20 mA	IS 302 (Part 1)	Permanent
1239	Direct Evaporative Air Cooler	Earthing Continuity	0-1 Ω	IS 302 (Part 1)	Permanent
1240	Direct Evaporative Air Cooler	Finish / Corrosion Resistance	Qualitative	IS 3315:2024 Cl. 12.2.6	Permanent
1241	Direct Evaporative Air Cooler	Marking Verification	Qualitative	IS 3315:2024 Cl. 15	Permanent
1242	Toasters, Grills, Roasters & Similar Appliances	Protection against access to live parts	Test Probe Verification	IS 302-2-9:2009 Cl. 8	Permanent
1243	Toasters, Grills, Roasters & Similar Appliances	Power Input	0-5 kW	IS 302-2-9:2009 Cl. 10	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **111** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1244	Toasters, Grills, Roasters & Similar Appliances	Current Consumption	0–25 A	IS 302-2-9:2009 Cl. 10	Permanent
1245	Toasters, Grills, Roasters & Similar Appliances	Heating Test – Temperature Rise	Ambient to 350°C	IS 302-2-9:2009 Cl. 11	Permanent
1246	Toasters, Grills, Roasters & Similar Appliances	Toaster Surface Temperature Rise	Ambient to 200°C	IS 302-2-9:2009 Cl. 11.101	Permanent
1247	Toasters, Grills, Roasters & Similar Appliances	Leakage Current at Operating Temperature	0–20 mA	IS 302-2-9:2009 Cl. 13	Permanent
1248	Toasters, Grills, Roasters & Similar Appliances	Electric Strength at Operating Temperature	0–5 kV AC	IS 302-2-9:2009 Cl. 13	Permanent
1249	Toasters, Grills, Roasters & Similar Appliances	Transient Overvoltage Test	Up to 6 kV	IS 302-2-9:2009 Cl. 14	Permanent
1250	Toasters, Grills, Roasters & Similar Appliances	Moisture Resistance	IP / Spillage Test	IS 302-2-9:2009 Cl. 15	Permanent
1251	Toasters, Grills, Roasters & Similar Appliances	Immersion Test	1% NaCl Solution	IS 302-2-9:2009 Cl. 15.101	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **112** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1252	Toasters, Grills, Roasters & Similar Appliances	Leakage Current	0–20 mA	IS 302-2-9:2009 Cl.16	Permanent
1253	Toasters, Grills, Roasters & Similar Appliances	Electric Strength	0–5 kV AC	IS 302-2-9:2009 Cl.16	Permanent
1254	Toasters, Grills, Roasters & Similar Appliances	Overload Protection of Transformers & Associated Circuits	Functional Test	IS 302-2-9:2009 Cl.17	Permanent
1255	Toasters, Grills, Roasters & Similar Appliances	Abnormal Operation	Up to Rated Voltage	IS 302-2-9:2009 Cl.19	Permanent
1256	Toasters, Grills, Roasters & Similar Appliances	Toaster Endurance under Abnormal Operation	500 Operating Cycles	IS 302-2-9:2009 Cl.19.101	Permanent
1257	Toasters, Grills, Roasters & Similar Appliances	Toaster Locked Ejector / Fire Hazard Test	Rated Voltage Test	IS 302-2-9:2009 Cl.19.102	Permanent
1258	Toasters, Grills, Roasters & Similar Appliances	Induction Hotplate Small Vessel Test	Steel Disc Test	IS 302-2-9:2009 Cl.19.103	Permanent
1259	Toasters, Grills, Roasters & Similar Appliances	Induction Hotplate Temperature Limiter Failure Test	Oil Temperature Test	IS 302-2-9:2009 Cl.19.104	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **113** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1260	Toasters, Grills, Roasters & Similar Appliances	Stability Test	0-10 kg Load	IS 302-2-9:2009 Cl.20	Permanent
1261	Toasters, Grills, Roasters & Similar Appliances	Oven Door Stability Test	3.5 kg Load	IS 302-2-9:2009 Cl.20.101	Permanent
1262	Toasters, Grills, Roasters & Similar Appliances	Mechanical Strength	0-1 J Impact Energy	IS 302-2-9:2009 Cl.21	Permanent
1263	Toasters, Grills, Roasters & Similar Appliances	Glass Ceramic Surface Impact Test	1.80 kg Impact Vessel	IS 302-2-9:2009 Cl.21.101	Permanent
1264	Toasters, Grills, Roasters & Similar Appliances	Construction Requirements	Visual / Dimensional	IS 302-2-9:2009 Cl.22	Permanent
1265	Toasters, Grills, Roasters & Similar Appliances	Touch Control Spillage Test	0-500 ml Water	IS 302-2-9:2009 Cl.22.108	Permanent
1266	Toasters, Grills, Roasters & Similar Appliances	Induction Hotplate Vessel Detection Test	Iron Bar Test	IS 302-2-9:2009 Cl.22.110	Permanent
1267	Toasters, Grills, Roasters & Similar Appliances	Breadmaker Power Restoration Test	0-60 min Interruption	IS 302-2-9:2009 Cl.22.112	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **114** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1268	Toasters, Grills, Roasters & Similar Appliances	Internal Wiring Flexing Test	0–1000 Flexing Cycles	IS 302-2-9:2009 Cl.23.3	Permanent
1269	Toasters, Grills, Roasters & Similar Appliances	Components – Switch Endurance	0–50000 Cycles	IS 302-2-9:2009 Cl.24.1.3	Permanent
1270	Toasters, Grills, Roasters & Similar Appliances	Energy Regulator Endurance (Automatic)	0–100000 Cycles	IS 302-2-9:2009 Cl.24.1.4	Permanent
1271	Toasters, Grills, Roasters & Similar Appliances	Energy Regulator Endurance (Manual)	0–10000 Cycles	IS 302-2-9:2009 Cl.24.1.4	Permanent
1272	Toasters, Grills, Roasters & Similar Appliances	Thermal Cut-out Endurance Test	0–100000 Cycles	IS 302-2-9:2009 Cl.24.1.4	Permanent
1273	Toasters, Grills, Roasters & Similar Appliances	Thermostat Off-position Reliability Test	-20°C to 55°C	IS 302-2-9:2009 Cl.24.101	Permanent
1274	Toasters, Grills, Roasters & Similar Appliances	Supply Connection & External Flexible Cords	Visual / Constructional	IS 302-2-9:2009 Cl.25	Permanent
1275	Toasters, Grills, Roasters & Similar Appliances	Terminals for External Conductors	Dimensional / Constructional	IS 302-2-9:2009 Cl.26	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **115** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1276	Toasters, Grills, Roasters & Similar Appliances	Earthing Continuity	0-1 Ω	IS 302-2-9:2009 Cl.27	Permanent
1277	Toasters, Grills, Roasters & Similar Appliances	Screws and Connections	Torque Test	IS 302-2-9:2009 Cl.28	Permanent
1278	Toasters, Grills, Roasters & Similar Appliances	Clearances	0-50 mm	IS 302-2-9:2009 Cl.29	Permanent
1279	Toasters, Grills, Roasters & Similar Appliances	Creepage Distances	0-50 mm	IS 302-2-9:2009 Cl.29	Permanent
1280	Toasters, Grills, Roasters & Similar Appliances	Electric Strength of Solid Insulation	0-5 kV AC	IS 302-2-9:2009 Cl.29	Permanent
1281	Toasters, Grills, Roasters & Similar Appliances	Resistance to Heat and Fire	Glow Wire / Abnormal Heat Test	IS 302-2-9:2009 Cl.30	Permanent
1282	Toasters, Grills, Roasters & Similar Appliances	Resistance to Rusting (Salt Mist Test)	Salt Spray Exposure	IS 302-2-9:2009 Cl.31	Permanent
1283	Toasters, Grills, Roasters & Similar Appliances	Radiation, Toxicity and Similar Hazards	Safety Evaluation	IS 302-2-9:2009 Cl.32	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **116** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1284	Wrought Aluminium & Aluminium Alloy Bars, Rods, Tubes, Sections, Plates & Sheets for Electrical Applications	Electrical Resistivity	0.001–1 Ohm mm ² /m	IS 3635	Permanent
1285	Wrought Aluminium & Aluminium Alloy Bars, Rods, Tubes, Sections, Plates & Sheets for Electrical Applications	Electrical Conductivity (% IACS)	0–100 % IACS	IS 5082 Annex A	Permanent
1286	Copper Refinery Shapes	Mass Resistivity	0.100–0.300 ohm g/m ²	IS 3635	Permanent
1287	Copper Refinery Shapes	Volume Resistivity	0.010–0.050 ohm mm ² /m	IS 3635	Permanent
1288	Copper Refinery Shapes	Electrical Conductivity	40–110 MS/m	IS 3635	Permanent
1289	Cooking Range, Hob, Oven & Similar Appliances	Marking and Instructions Verification	Qualitative	IS 302-2-6 Cl. 7	Permanent
1290	Cooking Range, Hob, Oven & Similar Appliances	Protection Against Access to Live Parts	Test Probe Verification	IS 302-2-6 Cl. 8	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **117** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1291	Cooking Range, Hob, Oven & Similar Appliances	Power Input	0–10 kW	IS 302-2-6 Cl. 10	Permanent
1292	Cooking Range, Hob, Oven & Similar Appliances	Current Measurement	0–50 A	IS 302-2-6 Cl. 10	Permanent
1293	Cooking Range, Hob, Oven & Similar Appliances	Heating Test / Temperature Rise	Ambient to 500°C	IS 302-2-6 Cl. 11	Permanent
1294	Cooking Range, Hob, Oven & Similar Appliances	Accessible Surface Temperature Rise	Ambient to 300°C	IS 302-2-6 Cl. 11.101	Permanent
1295	Cooking Range, Hob, Oven & Similar Appliances	Leakage Current at Operating Temperature	0–20 mA	IS 302-2-6 Cl. 13	Permanent
1296	Cooking Range, Hob, Oven & Similar Appliances	Electric Strength at Operating Temperature	0–5 kV AC	IS 302-2-6 Cl. 13	Permanent
1297	Cooking Range, Hob, Oven & Similar Appliances	Transient Overvoltage Test	0–6 kV	IS 302-2-6 Cl. 14	Permanent
1298	Cooking Range, Hob, Oven & Similar Appliances	Moisture Resistance	Qualitative	IS 302-2-6 Cl. 15	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **118** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1299	Cooking Range, Hob, Oven & Similar Appliances	Leakage Current	0–20 mA	IS 302-2-6 Cl. 16	Permanent
1300	Cooking Range, Hob, Oven & Similar Appliances	Electric Strength Test	0–5 kV AC	IS 302-2-6 Cl. 16	Permanent
1301	Cooking Range, Hob, Oven & Similar Appliances	Abnormal Operation Test	Up to Rated Voltage 480 V	IS 302-2-6 Cl. 19	Permanent
1302	Cooking Range, Hob, Oven & Similar Appliances	Stability Test	Load 0–25 kg	IS 302-2-6 Cl. 20.101	Permanent
1303	Cooking Range, Hob, Oven & Similar Appliances	Mechanical Strength Test	Impact Energy 0–1 J	IS 302-2-6 Cl. 21	Permanent
1304	Cooking Range, Hob, Oven & Similar Appliances	Construction Verification	Qualitative	IS 302-2-6 Cl. 22	Permanent
Discipline: Mechanical Group: Rubber and Rubber Product					
1305	Rubber Hose for Liquefied Petroleum Gas (LPG)	Bore Diameter	6 mm to 76 mm	IS 443	Permanent
1306	Rubber Hose for Liquefied	Outside Diameter	14.9 mm to 93.0 mm	IS 443	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **119** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	Petroleum Gas (LPG)				
1307	Rubber Hose for Liquefied Petroleum Gas (LPG)	Lining Thickness	0.5 mm to 10 mm	IS 443	Permanent
1308	Rubber Hose for Liquefied Petroleum Gas (LPG)	Cover Thickness	0.5 mm to 10 mm	IS 443	Permanent
1309	Rubber Hose for Liquefied Petroleum Gas (LPG)	Length	0.5 m to 100 m	IS 443	Permanent
1310	Rubber Hose for Liquefied Petroleum Gas (LPG)	Tensile Strength	1 MPa to 50 MPa	IS 3400 (Part 1)	Permanent
1311	Rubber Hose for Liquefied Petroleum Gas (LPG)	Tensile Strength	1 MPa to 50 MPa	IS 3400 (Part 1)	Permanent
1312	Rubber Hose for Liquefied Petroleum Gas (LPG)	Elongation at Break	50 % to 1000 %	IS 3400 (Part 1)	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **120** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1313	Rubber Hose for Liquefied Petroleum Gas (LPG)	Elongation at Break	50 % to 1000 %	IS 3400 (Part 1)	Permanent
1314	Rubber Hose for Liquefied Petroleum Gas (LPG)	Change in Tensile Strength after Accelerated Ageing	-100 % to +100 %	IS 3400 (Part 4)	Permanent
1315	Rubber Hose for Liquefied Petroleum Gas (LPG)	Change in Tensile Strength after Accelerated Ageing	-100 % to +100 %	IS 3400 (Part 4)	Permanent
1316	Rubber Hose for Liquefied Petroleum Gas (LPG)	Change in Elongation after Accelerated Ageing	-100 % to +100 %	IS 3400 (Part 4)	Permanent
1317	Rubber Hose for Liquefied Petroleum Gas (LPG)	Change in Elongation after Accelerated Ageing	-100 % to +100 %	IS 3400 (Part 4)	Permanent
1318	Rubber Hose for Liquefied Petroleum Gas (LPG)	n-Pentane Absorbed	0 % to 100 %	IS 9573 (Part 1) : 2017 Annex A	Permanent
1319	Rubber Hose for Liquefied	n-Pentane Extractable Matter	0 % to 100 %	IS 9573 (Part 1) : 2017 Annex A	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **121** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	Petroleum Gas (LPG)				
1320	Rubber Hose for Liquefied Petroleum Gas (LPG)	Adhesion between Lining and Reinforcement	0.1 kN/m to 20 kN/m	IS 3400 (Part 24)	Permanent
1321	Rubber Hose for Liquefied Petroleum Gas (LPG)	Adhesion between Reinforcement Layers	0.1 kN/m to 20 kN/m	IS 3400 (Part 24)	Permanent
1322	Rubber Hose for Liquefied Petroleum Gas (LPG)	Adhesion between Reinforcement and Cover	0.1 kN/m to 20 kN/m	IS 3400 (Part 24)	Permanent
1323	Rubber Hose for Liquefied Petroleum Gas (LPG)	Low Temperature Flexibility	Qualitative	IS 9573 (Part 1) : 2017	Permanent
1324	Rubber Hose for Liquefied Petroleum Gas (LPG)	Flexibility / Flatness	0 % to 100 %	IS 9573 (Part 1) : 2017	Permanent
1325	Rubber Hose for Liquefied Petroleum Gas (LPG)	Ozone Resistance	Qualitative	IS 9573 (Part 1) : 2017	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **122** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1326	Rubber Hose for Liquefied Petroleum Gas (LPG)	Proof Pressure Test	0 MPa to 10 MPa	IS 443	Permanent
1327	Rubber Hose for Liquefied Petroleum Gas (LPG)	Change in Length after Proof Pressure	0 % to 100 %	IS 443	Permanent
1328	Rubber Hose for Liquefied Petroleum Gas (LPG)	Bursting Pressure	0 MPa to 20 MPa	IS 443	Permanent
1329	Rubber Hose for Liquefied Petroleum Gas (LPG)	Electrical Continuity	0 Ω to 100 Ω	IS 9573 (Part 1) : 2017	Permanent
1330	Rubber Hose for Liquefied Petroleum Gas (LPG)	Burning Behaviour	Qualitative	IS 9573 (Part 1) : 2017 Annex B	Permanent
1331	Rubber Hose for Liquefied Petroleum Gas (LPG)	Visual Examination / Workmanship	Qualitative	IS 9573 (Part 1) : 2017	Permanent
1332	Rubber Hose for Liquefied	Marking Verification	Qualitative	IS 9573 (Part 1) : 2017	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **123** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	Petroleum Gas (LPG)				
1333	Rubber Hose for Liquefied Petroleum Gas (LPG)	Resistance of Lining to n-Pentane	0 % to 100 %	IS 9573 (Part 2) : 2017 Annex A	Permanent
1334	Rubber Hose for Liquefied Petroleum Gas (LPG)	n-Pentane Extractable Matter	0 % to 100 %	IS 9573 (Part 2) : 2017 Annex A	Permanent
1335	Rubber Hose for Liquefied Petroleum Gas (LPG)	Low Temperature Flexibility	Qualitative	IS 9573 (Part 2) : 2017	Permanent
1336	Rubber Hose for Liquefied Petroleum Gas (LPG)	Flexibility / Flatness	0 % to 100 %	IS 9573 (Part 2) : 2017	Permanent
1337	Rubber Hose for Liquefied Petroleum Gas (LPG)	Ozone Resistance	Qualitative	IS 9573 (Part 2) : 2017	Permanent
1338	Rubber Hose for Liquefied Petroleum Gas (LPG)	Grip Strength Test	0–10 kg Load	IS 9573 (Part 2) : 2017 Annex B	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **124** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1339	Rubber Hose for Liquefied Petroleum Gas (LPG)	Leakage after Grip Strength Ageing	Qualitative	IS 9573 (Part 2) : 2017 Annex B	Permanent
1340	Rubber Hose for Liquefied Petroleum Gas (LPG)	Burning Behaviour	Qualitative	IS 9573 (Part 2) : 2017 Annex C	Permanent
1341	Rubber Hose for Liquefied Petroleum Gas (LPG)	Reinforcement Resistance (Visual Examination)	Qualitative	IS 9573 (Part 2) : 2017	Permanent
1342	Rubber Hose for Liquefied Petroleum Gas (LPG)	Visual Examination / Workmanship	Qualitative	IS 9573 (Part 2) : 2017	Permanent
1343	Rubber Hose for Liquefied Petroleum Gas (LPG)	Marking Verification	Qualitative	IS 9573 (Part 2) : 2017	Permanent
1344	Rubber Gasket (Type 1 & Type 2)	Visual Examination / Workmanship	Qualitative	IS 7466 : 2023	Permanent
1345	Rubber Gasket	Hardness (IRHD / Shore A)	10-100 IRHD	IS 3400 (Part 2/Sec 2) / IS 3400 (Part 2/Sec 4)	Permanent
1346	Rubber Gasket	Change in Elongation after Steam Ageing	-100 % to +100 %	IS 3400 (Part 4)	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **125** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1347	Rubber Gasket	Change in Volume	-20 % to +20 %	IS 3400 (Part 6)	Permanent
1348	Rubber Gasket	Compression Set	0–100 %	IS 3400 (Part 10/Sec 1)	Permanent
1349	Rubber Gasket	Performance Test (120 h Steam Leakage Resistance)	Qualitative	IS 7466 : 2023 Annex F	Permanent
1350	Rubber Gasket	Marking Verification	Qualitative	IS 7466 : 2023	Permanent
1351	Rubber Hoses, Textile Reinforced for Water Applications	Inside Diameter	10–100 mm	ISO 4671	Permanent
1352	Rubber Hoses, Textile Reinforced for Water Applications	Tolerance on Inside Diameter	±0.75 to ±2.00 mm	ISO 4671	Permanent
1353	Rubber Hoses, Textile Reinforced for Water Applications	Concentricity	0–1.5 mm	ISO 4671	Permanent
1354	Rubber Hoses, Textile Reinforced for Water Applications	Length	0.1–100 m	ISO 4671	Permanent
1355	Rubber Hoses, Textile Reinforced	Length Tolerance	As Specified	ISO 1307	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **126** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	for Water Applications				
1356	Rubber Hoses, Textile Reinforced for Water Applications	Combined Thickness of Lining and Cover	≥ 1.5 mm	ISO 4671	Permanent
1357	Rubber Hoses, Textile Reinforced for Water Applications	Flute Depth	≤ 50 % of Cover Thickness	ISO 4671	Permanent
1358	Rubber Hoses, Textile Reinforced for Water Applications	Tensile Strength of Lining Compound	0–50 MPa	ISO 37	Permanent
1359	Rubber Hoses, Textile Reinforced for Water Applications	Tensile Strength of Cover Compound	0–50 MPa	ISO 37	Permanent
1360	Rubber Hoses, Textile Reinforced for Water Applications	Elongation at Break of Lining Compound	0–1000 %	ISO 37	Permanent
1361	Rubber Hoses, Textile Reinforced for Water Applications	Elongation at Break of Cover Compound	0–1000 %	ISO 37	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **127** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1362	Rubber Hoses, Textile Reinforced for Water Applications	Change in Tensile Strength After Ageing	±25 %	ISO 188 + ISO 37	Permanent
1363	Rubber Hoses, Textile Reinforced for Water Applications	Change in Elongation at Break After Ageing	±50 %	ISO 188 + ISO 37	Permanent
1364	Rubber Hoses, Textile Reinforced for Water Applications	Proof Pressure at 23°C	0.9–5.0 MPa	ISO 1402	Permanent
1365	Rubber Hoses, Textile Reinforced for Water Applications	Change in Length at Proof Pressure	±7 %	ISO 1402	Permanent
1366	Rubber Hoses, Textile Reinforced for Water Applications	Minimum Burst Pressure	1.8–10.0 MPa	ISO 1402	Permanent
1367	Rubber Hoses, Textile Reinforced for Water Applications	Adhesion Between Components	≥1.5 kN/m	ISO 8033	Permanent
1368	Rubber Hoses, Textile Reinforced	Ozone Resistance	Pass/Fail	ISO 7326	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **128** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
	for Water Applications				
1369	Rubber Hoses, Textile Reinforced for Water Applications	Flexibility at 23°C	T/D ≥0.8	ISO 10619-1 Method A1	Permanent
1370	Rubber Hoses, Textile Reinforced for Water Applications	Low Temperature Flexibility	-25°C ±2°C	ISO 10619-2 Method B	Permanent
1371	Rubber Hoses for Welding	Inside Diameter	4–50 mm	IS 447:2026 / ISO 4671	Permanent
1372	Rubber Hoses for Welding	Tolerance on Inside Diameter	As per Standard	IS 447:2026 / ISO 4671	Permanent
1373	Rubber Hoses for Welding	Outside Diameter	Up to 60 mm	IS 447:2026 / ISO 4671	Permanent
1374	Rubber Hoses for Welding	Tolerance on Outside Diameter	As per Standard	IS 447:2026 / ISO 4671	Permanent
1375	Rubber Hoses for Welding	Concentricity	0.6–1.3 mm	IS 447:2026 / ISO 4671	Permanent
1376	Rubber Hoses for Welding	Wall Thickness	0.5–10 mm	IS 447:2026 / ISO 4671	Permanent
1377	Rubber Hoses for Welding	Lining / Cover / Inner Plastic Layer Thickness	0.5–5 mm	IS 447:2026 / ISO 4671	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **129** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1378	Rubber Hoses for Welding	Length Tolerance	As per Standard	IS 447:2026 / ISO 1307	Permanent
1379	Rubber Hoses for Welding	Tensile Strength	5–25 MPa	IS 447:2026 / ISO 37	Permanent
1380	Rubber Hoses for Welding	Elongation at Break	100–500 %	IS 447:2026 / ISO 37	Permanent
1381	Rubber Hoses for Welding	Accelerated Ageing	Change in Properties	IS 447:2026 / ISO 188	Permanent
1382	Rubber Hoses for Welding	Adhesion Between Components	≥ 1.5 kN/m	IS 447:2026 / ISO 8033	Permanent
1383	Rubber Hoses for Welding	Maximum Working Pressure	1–2 MPa	IS 447:2026 / ISO 1402	Permanent
1384	Rubber Hoses for Welding	Proof Pressure	2–4 MPa	IS 447:2026 / ISO 1402	Permanent
1385	Rubber Hoses for Welding	Minimum Burst Pressure	3–6 MPa	IS 447:2026 / ISO 1402	Permanent
1386	Rubber Hoses for Welding	Change in Length Under Pressure	± 5 %	IS 447:2026 / ISO 1402	Permanent
1387	Rubber Hoses for Welding	Change in Diameter Under Pressure	± 10 %	IS 447:2026 / ISO 1402	Permanent
1388	Rubber Hoses for Welding	Flexibility at Ambient Temperature	$K \geq 0.8$	IS 447:2026 / ISO 10619-1	Permanent
1389	Rubber Hoses for Welding	Low Temperature Flexibility	$-25^{\circ}\text{C} \pm 3^{\circ}\text{C}$	IS 447:2026 / ISO 10619-2	Permanent



Certificate



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **130** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1390	Rubber Hoses for Welding	Resistance to Incandescent Particles and Hot Surfaces	Qualitative	IS 447:2026 Annex C	Permanent
1391	Rubber Hoses for Welding	Ozone Resistance	Qualitative	IS 447:2026 / ISO 7326	Permanent
1392	Rubber Hoses for Welding	Non-Ignition Requirement for Oxygen Hose	Qualitative	IS 447:2026 / ISO 11114-3	Permanent
1393	Rubber Hoses for Welding	Resistance to Acetone	Mass Change $\leq 8\%$	IS 447:2026 / ISO 1817	Permanent
1394	Rubber Hoses for Welding	Resistance to Dimethylformamide	Mass Change $\leq 8\%$	IS 447:2026 / ISO 1817	Permanent
1395	Rubber Hoses for Welding	Resistance to n-Pentane	$\leq 15\%$ / $\leq 10\%$	IS 447:2026 Annex B	Permanent
1396	Rubber Hoses for Welding	Adhesion After Trimethylborate–Methanol Conditioning	≥ 1.5 kN/m	IS 447:2026 / ISO 8033	Permanent
1397	Rubber Hoses for Welding	Tensile Strength & Elongation After Conditioning	Variation $< 30\%$	IS 447:2026 / ISO 37	Permanent
1398	Rubber Hoses for Welding	Mass & Volume Change After Conditioning	$\leq 8\%$	IS 447:2026 / ISO 1817	Permanent
1399	Rubber Hoses for Welding	Flexibility of Flux Fuel Gas Hose	Pass/Fail	IS 447:2026 / ISO 10619-1	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **131** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1400	Rubber Hoses for Welding	Gas Permeability	$\leq 25 \text{ cm}^3/\text{m}\cdot\text{h}$	IS 447:2026 / ISO 4080	Permanent
1401	Rubber Hoses for Welding	Twin Hose Separation Force	25–100 N	IS 447:2026 Clause 9.3.7.2	Permanent
1402	Rubber Hoses, Textile-Reinforced, for Compressed Air	Resistance to Liquids (Increase in Volume – Class B)	Up to 115 %	IS 446:2025 / ISO 1817:2015	Permanent
1403	Rubber Hoses, Textile-Reinforced, for Compressed Air	Resistance to Liquids (Increase in Volume – Class C, Lining)	Up to 30 %	IS 446:2025 / ISO 1817:2015	Permanent
1404	Rubber Hoses, Textile-Reinforced, for Compressed Air	Resistance to Liquids (Increase in Volume – Class C, Cover)	Up to 75 %	IS 446:2025 / ISO 1817:2015	Permanent
1405	Rubber Hoses, Textile-Reinforced, for Compressed Air	Ozone Resistance	Qualitative	IS 446:2025 / ISO 7326:2006	Permanent
1406	Rubber Hoses, Textile-Reinforced, for Compressed Air	Low Temperature Flexibility (Category N-T)	$-25 \text{ }^\circ\text{C} \pm 2 \text{ }^\circ\text{C}$	IS 446:2025 / ISO 10619-2:2011	Permanent
1407	Rubber Hoses, Textile-Reinforced, for Compressed Air	Low Temperature Flexibility (Category L-T)	$-40 \text{ }^\circ\text{C} \pm 2 \text{ }^\circ\text{C}$	IS 446:2025 / ISO 10619-2:2011	Permanent
Discipline: Mechanical		Group: Plastic and Plastic Products			
1408	Plastic Flushing Cistern	Thickness of Cistern Body (Exposed Type)	0–20 mm	IS 7231	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **132** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1409	Plastic Flushing Cistern	Thickness of Concealed Cistern Body	0–20 mm	IS 7231	Permanent
1410	Plastic Flushing Cistern	Mosquito Proof Test	1.6 mm Wire Gauge	IS 7231	Permanent
1411	Plastic Flushing Cistern	Flush Pipe Outside Diameter	0–100 mm	IS 7231	Permanent
1412	Plastic Flushing Cistern	Visible Length of Beta Valve	0–100 mm	IS 7231	Permanent
1413	Plastic Flushing Cistern	Overflow Pipe Bore	0–100 mm	IS 7231	Permanent
1414	Plastic Flushing Cistern	Float Valve Size	0–50 mm	IS 7231	Permanent
1415	Plastic Flushing Cistern	Full Flush Discharge Capacity	2–10 L	IS 7231	Permanent
1416	Plastic Flushing Cistern	Reduced Flush Discharge Capacity	1–5 L	IS 7231	Permanent
1417	Plastic Flushing Cistern	Overflow Water Level Above Working Level	0–100 mm	IS 7231	Permanent
1418	Plastic Flushing Cistern	Working Water Level	0–500 mm	IS 7231	Permanent
1419	Plastic Flushing Cistern	Discharge Rate – Full Flush	0–10 L	IS 7231	Permanent
1420	Plastic Flushing Cistern	Discharge Rate – Reduced Flush	0–5 L	IS 7231	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **133** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1421	Plastic Flushing Cistern	Freedom from Leakage	Qualitative	IS 7231	Permanent
1422	Plastic Flushing Cistern	Distortion Resistance Test	Bulging ≤ 6 mm	IS 7231	Permanent
1423	Plastic Flushing Cistern	Dead Load Test	0–500 N	IS 7231	Permanent
1424	Plastic Flushing Cistern	Front Thrust Test	0–500 N	IS 7231	Permanent
1425	Plastic Flushing Cistern	Impact Test	1 kg Impact Ball	IS 7231	Permanent
1426	Plastic Flushing Cistern	Endurance Test	0–50000 Cycles	IS 7231	Permanent
1427	Plastic Flushing Cistern	Opacity to Light	0–100 %	IS 12235 (Part 3)	Permanent
1428	Thermoplastic Hose (Textile Reinforced) for Water	Inside Diameter	4–50 mm	ISO 4671	Permanent
1429	Thermoplastic Hose (Textile Reinforced) for Water	Tolerance on Inside Diameter	± 0.50 to ± 1.50 mm	ISO 4671	Permanent
1430	Thermoplastic Hose (Textile Reinforced) for Water	Concentricity	0–1.0 mm	ISO 4671	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **134** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1431	Thermoplastic Hose (Textile Reinforced) for Water	Length	0.1–100 m	ISO 4671	Permanent
1432	Thermoplastic Hose (Textile Reinforced) for Water	Length Tolerance	As Specified	ISO 1307	Permanent
1433	Thermoplastic Hose (Textile Reinforced) for Water	Minimum Wall Thickness	2.0–5.5 mm	ISO 4671	Permanent
1434	Thermoplastic Hose (Textile Reinforced) for Water	Flute Depth	≤ 50% of Cover Thickness	ISO 6224	Permanent
1435	Thermoplastic Hose (Textile Reinforced) for Water	Tensile Strength of Lining Material	0–100 MPa	ISO 527-2	Permanent
1436	Thermoplastic Hose (Textile Reinforced) for Water	Tensile Strength of Cover Material	0–100 MPa	ISO 527-2	Permanent
1437	Thermoplastic Hose (Textile Reinforced) for Water	Elongation at Break of Lining Material	0–1000 %	ISO 527-2	Permanent
1438	Thermoplastic Hose (Textile Reinforced) for Water	Elongation at Break of Cover Material	0–1000 %	ISO 527-2	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **135** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1439	Thermoplastic Hose (Textile Reinforced) for Water	Change in Tensile Strength After Ageing	±15 %	ISO 188 + ISO 527-2	Permanent
1440	Thermoplastic Hose (Textile Reinforced) for Water	Change in Elongation at Break After Ageing	±25 %	ISO 188 + ISO 527-2	Permanent
1441	Thermoplastic Hose (Textile Reinforced) for Water	Loss in Mass on Heating	0–100 %	ISO 176	Permanent
1442	Thermoplastic Hose (Textile Reinforced) for Water	Proof Pressure at 23°C	0.9–5.0 MPa	ISO 1402	Permanent
1443	Thermoplastic Hose (Textile Reinforced) for Water	Minimum Burst Pressure at 23°C	1.8–10.0 MPa	ISO 1402	Permanent
1444	Thermoplastic Hose (Textile Reinforced) for Water	Proof Pressure at 60°C	0.55–2.5 MPa	ISO 1402	Permanent
1445	Thermoplastic Hose (Textile Reinforced) for Water	Minimum Burst Pressure at 60°C	1.1–5.0 MPa	ISO 1402	Permanent
1446	Thermoplastic Hose (Textile Reinforced) for Water	Change in Length at Maximum Working Pressure	±8 %	ISO 1402	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **136** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1447	Thermoplastic Hose (Textile Reinforced) for Water	Adhesion Between Components	≥ 2.0 kN/m	ISO 8033	Permanent
1448	Thermoplastic Hose (Textile Reinforced) for Water	UV Resistance (Xenon Arc Exposure)	Pass/Fail	ISO 30013 Method A	Permanent
1449	Thermoplastic Hose (Textile Reinforced) for Water	Flexibility at 23°C	T/D ≥ 0.8	ISO 10619-1 Method A1	Permanent
1450	Thermoplastic Hose (Textile Reinforced) for Water	Low Temperature Flexibility	-10°C $\pm 2^\circ\text{C}$	ISO 10619-2 Method B	Permanent
1451	Thermoplastic Hose (Textile Reinforced) for Water	Crack Resistance After Low Temperature Conditioning	Pass/Fail	ISO 10619-2 Method B	Permanent
1452	Thermoplastic Hose (Textile Reinforced) for Water	Proof Pressure Compliance After Low Temperature Conditioning	Pass/Fail	ISO 10619-2 Method B + ISO 1402	Permanent

Discipline: Chemical

Group: Rubber and Rubber Products

1453	Rubber Gasket	Discolouration Test	Qualitative	IS 7466 : 2023 Annex B	Permanent
1454	Rubber Gasket	Odour Test	Qualitative	IS 7466 : 2023 Annex C	Permanent
1455	Rubber Gasket	Taste Test	Qualitative	IS 7466 : 2023 Annex C	Permanent
1456	Rubber Gasket	Volatile Matter	0.01–5.0 %	IS 3565 Annex E	Permanent
1457	Rubber Gasket	Total Zinc Oxide	0.01–10 %	IS 7466 : 2023 Annex D	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope



Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: SHRI KRISHNA TEST HOUSE PVT. LTD.

Page No. **137** of **137**

Address: Plot. No. 142, Sec G, Bawana -2, DSIIDC, Industrial
Complex, Bhorgarh, New Delhi-110040, Delhi

Certificate No.: T-0007

Issue date: 12.03.2025

Validity : 11.03.2029

Amendment date: 30.09.2026

Sr. No	Parameter/ Materials/ Products tested	Type of Test/Properties measured	Range of measurement	Standard specifications/ Equipment/Techniques used	Facility
1458	Rubber Gasket	N-Nitrosamines	0.001–10 mg/kg	IS 3565 Annex G	Permanent
1459	Rubber Gasket	N-Nitrosatable Substances	0.01–50 mg/kg	IS 3565 Annex G	Permanent
1460	Rubber Gasket	Extractables in Water (First 7 h)	1–500 mg/cm ²	IS 7466 : 2023 Annex E	Permanent
1461	Rubber Gasket	Extractables in Water (Successive 2 h)	1–500 mg/cm ²	IS 7466 : 2023 Annex E	Permanent
1462	Rubber Gasket	Extractables in Hexane (First 7 h)	1–2000 mg/cm ²	IS 7466 : 2023 Annex E	Permanent
1463	Rubber Gasket	Extractables in Hexane (Successive 2 h)	1–500 mg/cm ²	IS 7466 : 2023 Annex E	Permanent
1464	Rubber Gasket	Polycyclic Aromatic Hydrocarbons (PAH) – Benzo(a)pyrene	0.01–20 mg/kg	EN 16143	Permanent
1465	Rubber Gasket	Sum of Specified PAHs	0.01–50 mg/kg	EN 16143	Permanent
1466	Insulated Containers for Food Storage	Thickness of Plastic Lid (Hot/Cold Box)	1.50 mm to 20 mm	IS 9845	Permanent



Certificate

This is annexure to 'Certificate of Accreditation' and does not require any signature
Reg Office: 307/20, 2nd Lane No. 5A, Ranjit Nagar, New Delhi 110008, India



Scope